




used for: **CLARK-SAMSUNG**



type brush	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush
E1	6,0	19,0	16,0		DE-CLS-0001
	6,0	19,0	16,0		DE-CLS-0002
	6,5	19,0	12,5		DE-CLS-0003
	6,5	19,0	16,0		DE-CLS-0004
	8,0	19,0	19,0		DE-CLS-0005
	10,0	19,0	19,0		DE-CLS-0006
	10,0	19,0	19,0		DE-CLS-0007
E2	5,0	8,0	18,0		DE-CLS-0008
	5,0	8,0	20,0		DE-CLS-0009
	5,0	8,0	23,0		DE-CLS-0010
	6,0	7,0	20,0		DE-CLS-0011
	6,0	7,0	23,5		DE-CLS-0012




used for: **CLARK-SAMSUNG**



type brush	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush
E2	6,0	12,5	22,0		DE-CLS-0013
	6,0	12,5	22,0		DE-CLS-0014
	6,5	12,0	18,0		DE-CLS-0015
	7,0	10,0	18,0		DE-CLS-0016
	7,0	12,0	17,0		DE-CLS-0017
	7,0	12,0	17,5		DE-CLS-0018
	7,0	18,0	18,0		DE-CLS-0019
	7,0	18,0	18,0		DE-CLS-0020
	7,0	19,0	15,5		DE-CLS-0021
	7,5	15,0	24,0		DE-CLS-0022
	8,0	12,5	22,0		DE-CLS-0023
	8,0	14,0	19,0		DE-CLS-0024




used for: **CLARK-SAMSUNG**



type brush	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush
E2	8,0	22,0	32,0		DE-CLS-0025
	8,0	25,0	20,0		DE-CLS-0026
	8,0	25,0	20,0		DE-CLS-0027
	8,0	32,0	30,0		DE-CLS-0028
	9,0	17,0	30,0		DE-CLS-0029
	9,0	25,0	23,0		DE-CLS-0030
	9,0	25,0	25,0		DE-CLS-0031
	9,5	20,5	30,0		DE-CLS-0032
	9,5	31,5	32,0		DE-CLS-0033
	12,5	16,0	36,5		DE-CLS-0034
	12,5	22,0	38,0		DE-CLS-0035
E4	6,0	22,0	26,0		DE-CLS-0036



used for: **CLARK-SAMSUNG**



type brush	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush
E4	8,0	22,0	22,5		DE-CLS-0037
	8,0	32,0	30,0		DE-CLS-0038
	8,0	32,0	32,0		DE-CLS-0039
	9,5	19,0	20,0		DE-CLS-0040
	9,5	19,0	26,0		DE-CLS-0041
	9,5	25,0	28,5		DE-CLS-0042
	10,0	24,0	32,0	YES	DE-CLS-0043
	10,0	32,0	31,0		DE-CLS-0044
	10,0	32,0	32,0	YES	DE-CLS-0045
	10,0	32,0	32,0		DE-CLS-0046
	10,0	32,0	33,0		DE-CLS-0047
	11,0	39,5	32,0		DE-CLS-0048




used for: **CLARK-SAMSUNG**



type brush	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush
E4	12,0	20,0	32,0		DE-CLS-0049
	12,0	32,0	32,0		DE-CLS-0050
	12,0	32,0	32,0		DE-CLS-0051
	12,5	25,0	32,0	YES	DE-CLS-0052
	12,5	25,0	32,0		DE-CLS-0053
	12,5	25,0	32,0		DE-CLS-0054
	12,5	31,5	24,0		DE-CLS-0055
	12,5	31,5	42,0		DE-CLS-0056
	12,5	31,5	42,0		DE-CLS-0057
	12,5	32,0	25,0		DE-CLS-0058
	12,5	32,0	32,0		DE-CLS-0059
	12,5	32,0	32,0		DE-CLS-0060




used for: **CLARK-SAMSUNG**



type brush	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush
E4	12,5	32,0	32,0	YES	DE-CLS-0061
	12,5	32,0	32,0		DE-CLS-0062
	12,5	32,0	32,0	YES	DE-CLS-0063
	12,5	32,0	32,5		DE-CLS-0064
	12,5	32,0	40,0		DE-CLS-0065
	12,5	32,0	40,0		DE-CLS-0066
	12,5	32,0	40,0	YES	DE-CLS-0067
	12,5	32,0	40,0	YES	DE-CLS-0068
	12,5	47,0	42,0	YES	DE-CLS-0069
	12,5	47,5	43,0		DE-CLS-0070
	15,5	37,5	37,5		DE-CLS-0071
	16,0	20,0	38,0		DE-CLS-0072



used for: **CLARK-SAMSUNG**




type brush	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush	
E4	16,0	24,5	33,0		DE-CLS-0073	
	16,0	24,5	33,5		DE-CLS-0074	
	16,0	31,5	32,0		DE-CLS-0075	
	16,0	31,5	33,0		DE-CLS-0076	
	16,0	64,0	44,5		DE-CLS-0077	
	16,0	64,0	44,5	YES	DE-CLS-0078	
	16,0	64,0	44,5		DE-CLS-0079	
	M2	4,0	12,0	16,5		DE-CLS-0080
		4,5	12,0	17,5		DE-CLS-0081
11,0		25,0	35,0		DE-CLS-0082	
12,5		32,0	33,0		DE-CLS-0083	
16,0		31,5	38,5		DE-CLS-0084	













used for: **CLARK-SAMSUNG**






quantity of brush blocks	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush kit
2	5,0	8,0	19,5		DE-CLS-0088
	5,0	8,0	19,5		DE-CLS-0089
	5,5	19,0	19,0		DE-CLS-0090
	6,0	23,0	22,5		DE-CLS-0091
	8,0	22,0	32,0		DE-CLS-0092
4	6,0	12,5	22,0		DE-CLS-0093
	6,0	19,0	16,0		DE-CLS-0094
	6,5	19,0	16,0		DE-CLS-0095



used for: **CLARK-SAMSUNG**








quantity of brush blocks	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush kit
4	7,0	18,0	18,0		DE-CLS-0096
	7,0	19,0	16,5		DE-CLS-0097
	8,0	12,5	22,0		DE-CLS-0098
	8,0	19,0	19,0		DE-CLS-0099
	8,0	32,0	30,0		DE-CLS-0100
	8,0	32,0	32,0		DE-CLS-0101
	9,0	13,0	25,0		DE-CLS-0102
	9,0	16,0	17,0		DE-CLS-0103




used for: **CLARK-SAMSUNG**



quantity of brush blocks	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush kit
4	9,0	17,5	13,0		DE-CLS-0104
	9,0	17,5	16,0		DE-CLS-0105
	9,0	17,5	16,0		DE-CLS-0106
	9,0	19,0	17,0		DE-CLS-0107
	9,0	19,0	17,0		DE-CLS-0108
	9,0	19,0	17,0		DE-CLS-0109
	9,0	19,0	17,0		DE-CLS-0110
	9,0	19,0	17,0		DE-CLS-0111



used for: **CLARK-SAMSUNG**



quantity of brush blocks	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush kit
4	9,0	25,0	27,0		DE-CLS-0112
	9,0	26,0	25,0		DE-CLS-0113
	9,5	20,5	20,5		DE-CLS-0114
	9,5	20,5	29,0		DE-CLS-0115
	10,0	25,0	35,0		DE-CLS-0116
	10,0	25,0	35,0		DE-CLS-0117
	10,0	28,0	30,5		DE-CLS-0118
	10,0	28,0	30,5		DE-CLS-0119



DE-CLS-0112




DE-CLS-0113



DE-CLS-0114




DE-CLS-0115




DE-CLS-0116



DE-CLS-0117




DE-CLS-0118



DE-CLS-0119

used for: **CLARK-SAMSUNG**




quantity of brush blocks	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush kit
4	10,0	28,0	30,5		DE-CLS-0120
	10,0	28,0	30,5		DE-CLS-0121
	10,0	28,0	30,5		DE-CLS-0122
	10,0	28,0	30,5		DE-CLS-0123
	10,0	32,0	32,5	YES	DE-CLS-0124
	12,0	32,0	32,0		DE-CLS-0125
	12,0	36,0	27,0		DE-CLS-0126
	12,5	32,0	30,0		DE-CLS-0127



DE-CLS-0120



DE-CLS-0121




DE-CLS-0122



DE-CLS-0123



DE-CLS-0124



DE-CLS-0125




DE-CLS-0126










DE-CLS-0127

used for: **CLARK-SAMSUNG**










quantity of brush blocks	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush kit
4	12,5	32,0	30,0		DE-CLS-0128
	12,5	32,0	32,5		DE-CLS-0129
	12,5	32,0	35,5		DE-CLS-0130
	12,5	32,0	35,5		DE-CLS-0131
	12,5	32,0	38,0		DE-CLS-0132
	12,5	32,0	38,0		DE-CLS-0133
	12,5	32,0	38,0		DE-CLS-0134
	12,5	32,0	40,0		DE-CLS-0135




used for: **CLARK-SAMSUNG**






quantity of brush blocks	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush kit
4	12,5	32,0	40,0	YES	DE-CLS-0136
	12,5	47,0	41,0		DE-CLS-0137
	16,0	31,5	33,0		DE-CLS-0138
	16,0	63,5	45,0	YES	DE-CLS-0139
	16,0	65,0	45,5		DE-CLS-0140
8	7,0	22,0	19,0		DE-CLS-0141
	7,0	22,0	19,0		DE-CLS-0142
	7,0	22,0	20,0		DE-CLS-0143




used for: **CLARK-SAMSUNG**








quantity of brush blocks	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush kit
8	7,0	22,0	20,0		DE-CLS-0144
	9,0	16,0	19,0		DE-CLS-0145
	10,0	24,0	32,0	YES	DE-CLS-0146
	10,0	25,0	35,0		DE-CLS-0147
	10,0	25,5	35,0		DE-CLS-0148
	10,0	32,0	33,0	YES	DE-CLS-0149
	12,0	20,0	32,0		DE-CLS-0150
	12,5	16,0	35,0		DE-CLS-0151




used for: **CLARK-SAMSUNG**



quantity of brush blocks	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush kit
8	12,5	16,0	35,0		DE-CLS-0152
	12,5	32,0	32,0	YES	DE-CLS-0153
	12,5	32,0	40,0		DE-CLS-0154
	12,5	32,0	40,0		DE-CLS-0155
	12,5	32,0	40,0	YES	DE-CLS-0156
	12,5	32,0	40,0	YES	DE-CLS-0157
	13,0	31,5	37,0		DE-CLS-0158
	14,0	25,0	35,0		DE-CLS-0159



used for: **CLARK-SAMSUNG**



quantity of brush blocks	thickness +/- (mm) D	width +/- (mm) B	height +/- (mm) H	indicator wire MD	reference brush kit
8	14,0	25,0	35,5		DE-CLS-0160
	14,0	25,5	35,0	YES	DE-CLS-0161
	14,0	25,5	35,5		DE-CLS-0162
	16,0	31,5	45,0		DE-CLS-0163
12	14,0	25,0	45,0		DE-CLS-0164

