

## CATALOGO MOTORI

CODICE: **KLMT1249-**

3799747

0136603001



ROTAZIONE V.L.A.: Antiorario

∅ 178 X 328 mors 2

CARR.: **CLARK** CLARK

MOTORE: **BOSCH**

TIPO: **AMT5603<=>C**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **4** HP

U./MIN: **2200**

APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT1244-**

3793373

CL3793442

0136603002



ROTAZIONE V.L.A.: Orario

∅ 178 X 310 mors 2

CARR.: **CLARK** CLARK

MOTORE: **BOSCH**

TIPO: **AMT4630=>F**

ARM. V1: **72** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **5** HP

U./MIN: **2200**

APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT2032-**

0136401006

0136401006



ROTAZIONE V.L.A.: Orario

∅ 125 X 253 mors 2

CARR.: **FENWICK** FENWICK

MOTORE: **BOSCH**

TIPO: **AMK5303=>F**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,5** HP

U./MIN: **2600**

APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT3663-**

95350080

9459903



ROTAZIONE V.L.A.: Orario

∅ 150 X 315 mors 2

CARR.: **FIAT- OM** VARI

MOTORE: **BOSCH**

TIPO: **AMP4509=>F**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1600**

APPLIC.: **Sollevamento** SERV: **S1**

CODICE: **KLMT1450-**

9452830

9459066

9296631

0136500033



ROTAZIONE V.L.A.: Orario

∅ 150 X 295 mors 2

CARR.: **FIAT- OM** E8N - E10N-

MOTORE: **BOSCH**

TIPO: **AMP4660=>F**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1600**

APPLIC.: **Sollevamento** SERV: **S3**

# CATALOGO MOTORI

CODICE: **KLMT1616-**

5201429

0136503016



ROTAZIONE V.L.A.: Orario

Ø 150 X 343 morsi 2

CARR.: **FIAT- OM** OM

MOTORE: **BOSCH**

TIPO: **AMP5611=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **5,5** HP

U./MIN: **2000**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1421-**

9007944

0136500008

0136500013

0136500023



ROTAZIONE V.L.A.: Orario

Ø 150 X 282 morsi 2

CARR.: **FIAT- OM** E6 - E8

MOTORE: **BOSCH**

TIPO: **0136500018**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **2,5** HP

U./MIN: **1500**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1447-**

9452257

9451221

11214411



ROTAZIONE V.L.A.: Orario

Ø 178 X 335 morsi 2

CARR.: **FIAT- OM** e/3 12N - e/3

MOTORE: **BOSCH**

TIPO: **AMT4620=>F**

ARM. V1: **36-48** A1: **240**

ECC.: **SERIE**

V2: A2:

KW: **6 - 8,3** HP

U./MIN: **2100/2900**

APPLIC.: **Sollevamento**

SERV: **S3 - 25%**

CODICE: **KLMT1481-**

9816310

0136501030



ROTAZIONE V.L.A.: Orario

Ø 150 X 0 morsi 2

CARR.: **FIAT- OM** E12C - E15C -

MOTORE: **BOSCH**

TIPO: **0.136.501.030**

ARM. V1: **40** A1:

ECC.: **SERIE**

V2: A2:

KW: **4,5** HP

U./MIN: **2300**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1822-**

0136602006



ROTAZIONE V.L.A.: Orario

Ø 178 X 335 morsi 2

CARR.: **IRION** IRION

MOTORE: **BOSCH**

TIPO: **TRL=>**

ARM. V1: **80** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **8** HP

U./MIN: **2400**

APPLIC.: **Sollevamento**

SERV:



# CATALOGO MOTORI

**CODICE: KLMT1605-**

11214015  
0136353011



ROTAZIONE V.L.A.: Orario

∅ 112 X 234 morsa 2

CARR.: **JUNGHEINRICH VARI**

MOTORE: **BOSCH**

TIPO: **AMJ=>B**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3**

**CODICE: KLMT1056-**

28714460  
19960309  
1517220544  
0136501059



ROTAZIONE V.L.A.: Orario

∅ 150 X 278 morsa 2

CARR.: **JUNGHEINRICH ETX150**

MOTORE: **BOSCH**

TIPO: **AMP4635=>C**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1800**

APPLIC.: **Sollevamento**

SERV: **S3**

**CODICE: KLMT1005-**

0009761102  
0009761112  
0009761182  
0009761192



ROTAZIONE V.L.A.: Orario

∅ 177 X 338 morsa 2

CARR.: **LINDE** E10 - 12 - 15

MOTORE: **BOSCH**

TIPO: **0136601005**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **4,5** HP

U./MIN: **1900**

APPLIC.: **Sollevamento**

SERV:

**CODICE: KLMT1620-**

022439  
E190011  
1517220541  
0136501055



ROTAZIONE V.L.A.: Orario

∅ 150 X 315 morsa 2

CARR.: **PIMESPO** VARI

MOTORE: **BOSCH**

TIPO: **AMP4632=>F**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1600**

APPLIC.: **Sollevamento**

SERV: **S1**

**CODICE: KLMT1613-**

022436  
9836662  
0136355071



ROTAZIONE V.L.A.: Orario

∅ 112 X 212 morsa 2

CARR.: **PIMESPO** TSC20

MOTORE: **BOSCH**

TIPO: **AMJ5157=>B**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **1800**

APPLIC.: **Sollevamento**

SERV: **S3**

# CATALOGO MOTORI

CODICE: **KLMT1612-**

022437  
022435\*  
E190009  
0136355070



ROTAZIONE V.L.A.: Orario

∅ 112 X 200 morsa 2

CARR.: **PIMESPO** PIM. - SAMA  
MOTORE: **BOSCH**  
TIPO: **AMJ5156=>F**  
ARM. V1: **24** A1:  
ECC.: **COMPOUND**  
V2: A2:  
KW: **2** HP  
U./MIN: **1800**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1607-**

E190007  
EX01363550  
0136355054



ROTAZIONE V.L.A.: Orario

∅ 112 X 212 morsa 2

CARR.: **SAMAG** VARI  
MOTORE: **BOSCH**  
TIPO: **AMJ5161=>B**  
ARM. V1: **12** A1:  
ECC.: **COMPOUND**  
V2: A2:  
KW: **1,3** HP  
U./MIN: **2400**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1502-**

E190010  
1517220538  
0136500032



ROTAZIONE V.L.A.: Orario

∅ 150 X 295 morsa 2

CARR.: **SAMAG** SAMAG - BO  
MOTORE: **BOSCH**  
TIPO: **AMP4659=>F**  
ARM. V1: **24** A1:  
ECC.: **SERIE**  
V2: A2:  
KW: **2,5** HP  
U./MIN: **1500**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1610-**

E190008  
11214060



ROTAZIONE V.L.A.: Orario

∅ 114 X 173 morsa 2

CARR.: **SAMAG** SAMAG  
MOTORE: **BOSCH**  
TIPO: **AMJ5149=>R**  
ARM. V1: **24** A1:  
ECC.: **COMPOUND**  
V2: A2:  
KW: **1,5** HP  
U./MIN: **2500**

APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT1606-**

11214053  
0136355053



ROTAZIONE V.L.A.: Orario

∅ 112 X 200 morsa 2

CARR.: **VARI** VARI  
MOTORE: **BOSCH**  
TIPO: **AMJ5166 =>F**  
ARM. V1: **12** A1:  
ECC.: **COMPOUND**  
V2: A2:  
KW: **1,3** HP  
U./MIN: **2400**

APPLIC.: **Sollevamento** SERV:



# CATALOGO MOTORI

CODICE: **KLMT1615-**

11214210  
1517220546  
0541400042  
0136503010



ROTAZIONE V.L.A.: Orario

Ø 150 X 343 morsa 2

CARR.: **VARI** BOSCH  
MOTORE: **BOSCH**  
TIPO: **AMP5610=>F**  
ARM. V1: **24** A1:  
ECC.: **COMPOUND**  
V2: A2:  
KW: **5,5** HP  
U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT2992-**

1517220549  
0136500040



ROTAZIONE V.L.A.: Orario

Ø 150 X 295 morsa 2

CARR.: **VARI** BOSCH  
MOTORE: **BOSCH**  
TIPO: **AMP4664=>F**  
ARM. V1: **24** A1:  
ECC.: **SERIE**  
V2: A2:  
KW: **2,5** HP  
U./MIN: **1500**

APPLIC.: **Sollevamento** SERV: **S3 - 20%**

CODICE: **KLMT3114-**

0136501051



ROTAZIONE V.L.A.: Orario

Ø 150 X 315 morsa 2

CARR.: **VARI** VARI  
MOTORE: **BOSCH**  
TIPO: **QRL**  
ARM. V1: **24** A1:  
ECC.: **SERIE**  
V2: A2:  
KW: **3** HP  
U./MIN: **1300**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1619-**

11214254  
1517220540  
0136501054



ROTAZIONE V.L.A.: Orario

Ø 150 X 340 morsa 2

CARR.: **VARI** BOSCH  
MOTORE: **BOSCH**  
TIPO: **AMP4643=>F**  
ARM. V1: **24** A1:  
ECC.: **SERIE**  
V2: A2:  
KW: **4,1** HP  
U./MIN: **1200**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1611-**

11214061  
1697465/309  
0136355061



ROTAZIONE V.L.A.: Orario

Ø 112 X 196 morsa 2

CARR.: **VARI** VOLVO - ME  
MOTORE: **BOSCH**  
TIPO: **AMJ5155=>F**  
ARM. V1: **24** A1:  
ECC.: **COMPOUND**  
V2: A2:  
KW: **1,5** HP  
U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3-10%**

# CATALOGO MOTORI

CODICE: **KLMT1609-**

11214058

0136355058



ROTAZIONE V.L.A.: Orario

∅ 112 X 212 morsi 2

CARR.: **VARI** VARI

MOTORE: **BOSCH**

TIPO: **AMJ5163=>B**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1604-**

11214012

0136350012



ROTAZIONE V.L.A.: Antiorario

∅ 114 X 162 morsi 2

CARR.: **VARI** VARI - BT

MOTORE: **BOSCH**

TIPO: **AMJ4661<=T**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **1,9** HP

U./MIN: **4700**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT1608-**

11214057

697710

0136355057



ROTAZIONE V.L.A.: Orario

∅ 112 X 200 morsi 2

CARR.: **VARI** JUNGHEINRI

MOTORE: **BOSCH**

TIPO: **AMJ5154=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento**

SERV: **S3 - 10%**

CODICE: **KLMT3594-**

11214254M

1517220540

0136501054



ROTAZIONE V.L.A.: Orario

∅ 150 X 340 morsi 2

CARR.: **VARI** BOSCH

MOTORE: **BOSCH**

TIPO: **AMP4643M=>F**

ARM. V1: **36** A1: 71

ECC.: **SERIE**

V2: A2:

KW: **2** HP

U./MIN: **1500**

APPLIC.: **Sollevamento**

SERV: **S3**

CODICE: **KLMT3106-**

0136501011\*

0136501036\*



ROTAZIONE V.L.A.: Orario

∅ 150 X 328 morsi 2

CARR.: **VARI** VARI

MOTORE: **BOSCH**

TIPO: **QRL**

ARM. V1: **40-48** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN:

APPLIC.: **Sollevamento**

SERV: **S3**



# CATALOGO MOTORI

CODICE: **KLMT1154-**

1517220547

0136501089



ROTAZIONE V.L.A.: Orario

∅ 150 X 310 mors 2

CARR.: **VARI** VARI

MOTORE: **BOSCH**

TIPO: **AMP4657=>F**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **3,7** HP

U./MIN: **1600**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1153-**

1517220542

0009810775

0136501057



ROTAZIONE V.L.A.: Orario

∅ 150 X 310 mors 2

CARR.: **VARI** VARI

MOTORE: **BOSCH**

TIPO: **AMP4633=>F**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **3,7** HP

U./MIN: **1200**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT1621-**

1517220543

4109-0402

0136501058



ROTAZIONE V.L.A.: Orario

∅ 150 X 315 mors 2

CARR.: **VARI** ° BOSCH

MOTORE: **BOSCH**

TIPO: **AMP4634=>F**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1800**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1406-**

8004539

1517220545

0136501069



ROTAZIONE V.L.A.: Orario

∅ 150 X 308 mors 2

CARR.: **WAGNER** WAGNER

MOTORE: **BOSCH**

TIPO: **AMP4661**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **3** HP

U./MIN: **1600**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1405-**

8004535

0136355067



ROTAZIONE V.L.A.: Orario

∅ 112 X 200 mors 2

CARR.: **WAGNER** EGV

MOTORE: **BOSCH**

TIPO: **AMJ5168=>F**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **1800**

APPLIC.: **Sollevamento** SERV: