

CATALOGO MOTORI

CODICE: **KLMT3470-**

170433-150



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 188 X 348 morsi 3

CARR.: **BT** RRB7AC ?

MOTORE: **API ELMO**

TIPO: **TSP112/4-150-T**

ARM. V1: **3F-36** A1: **245**

ECC.: **ASINCRONO 80Hz**

V2: A2:

KW: **10** HP

U./MIN: **2300**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT3422-**

216732-195



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 188 X 395 morsi 3

CARR.: **BT** RRB7AC

MOTORE: **DANAHER-MOTION**

TIPO: **TSP112/4-195-T**

ARM. V1: **3F-34** A1: **320**

ECC.: **ASINCRONO 80Hz**

V2: A2:

KW: **14** HP

U./MIN: **2300**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT3271-**

216731-165



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 190 X 318 morsi 3

CARR.: **BT** RRB7AC

MOTORE: **DANAHER-MOTION**

TIPO: **TSP112/4-165**

ARM. V1: **3F-34** A1: **174**

ECC.: **ASINCRONO 87Hz**

V2: A2:

KW: **7,5** HP

U./MIN: **2500**

APPLIC.: **Trazione** SERV: **S2-60'**

CODICE: **KLMT2703-**

24MG32-HE



ROTAZIONE V.L.A.: Antiorario

Ø 80 X 144 morsi 2

CARR.: **BT** OLV13

MOTORE: **HALDEX BARNES**

TIPO: **24MG32-HE**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,2** HP

U./MIN:

APPLIC.: **Sollevamento** SERV: **S3-4,5%**

CODICE: **KLMT1884-**

ex.164922

3C-483031CJ

3C-4830312J



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 85 X 180 morsi 2

CARR.: **BT** BT

MOTORE: **MET-Minnesota Electr**

TIPO: **3C-483031CJ**

ARM. V1: **48** A1: **5,3**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,20** HP

U./MIN: **3450**

APPLIC.: **Servosterzo** SERV: **S1**

CATALOGO MOTORI



CODICE: **KLMT2407-**

150152PM1
141863PM1



ROTAZIONE V.L.A.: Orario

Ø 186 X 413 morsa 2

CARR.: **BT** RT
MOTORE: **PRESTOLITE**
TIPO: **MWF4001P**
ARM. V1: **48** A1: **293**
ECC.: **SERIE**
V2:
KW: **10** A2: **HP**
U./MIN: **1760**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT2234-**

136843
133970
150150
MWA4003



ROTAZIONE V.L.A.: Orario

Ø 181 X 360 morsa 3

CARR.: **BT** RT1350SE/13
MOTORE: **PRESTOLITE**
TIPO: **MWA4001A**
ARM. V1: **48** A1: **196**
ECC.: **COMPOUND**
V2:
KW: **7,65** A2: **HP**
U./MIN: **1365**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT1130-**

159738
136693-D4A
MWC4001 ?



ROTAZIONE V.L.A.: Entrambi i sensi


Ø 184 X 293 morsa 4

CARR.: **BT** BT
MOTORE: **PRESTOLITE**
TIPO: **MWC4005**
ARM. V1: **48** A1: **143**
ECC.: **SERIE**
V2:
KW: **5** A2: **HP**
U./MIN: **1670**

APPLIC.: **Trazione** SERV: **S2-60%**

CODICE: **KLMT3046-**

403971



ROTAZIONE V.L.A.: Orario

Ø 200 X 400 morsa 3

CARR.: **BT** TRILATERAL
MOTORE: **SAUER DANFOSS**
TIPO: **TSA200C-9**
ARM. V1: **3F-28** A1:
ECC.: **ASINCRONO 90Hz**
V2:
KW: **15** A2: **HP**
U./MIN: **2645**

APPLIC.: **Sollevamento** SERV: **S3 - 45%**

CODICE: **KLMT3482-**

8816-013



ROTAZIONE V.L.A.: Antiorario

Ø 173 X 233 morsa 2

CARR.: **BT** BT
MOTORE: **THRIGE-TITAN**
TIPO: **MTL11-7A**
ARM. V1: **24** A1: **165**
ECC.: **COMPOUND**
V2:
KW: **3** A2: **HP**
U./MIN: **3000**

APPLIC.: **Sollevamento** SERV: **INT.15%**

CATALOGO MOTORI

CODICE: **KLMT3292-**

149861



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 143 X 319 morsi 4+2

CARR.: **BT** LT2000

MOTORE: **THRIGE-TITAN**

TIPO: **TTL140B-D11**

ARM. V1: **24** A1: **74**

ECC.: **COMPOUND**

V2: **24** A2: **1**

KW: **1,4** HP

U./MIN: **1800**

APPLIC.: **Trazione**

SERV: **S3-60%**

CODICE: **KLMT3383-**

221671

7507834

EX.50069115



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 163 X 309 morsi 2+2

CARR.: **BT** 7PLL24

MOTORE: **THRIGE-TITAN**

TIPO: **TSL160A-DS60**

ARM. V1: **24** A1: **130**

ECC.: **SEPARATA**

V2: **24** A2: **12**

KW: **2,5** HP

U./MIN: **2500**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT1128-**

147747

132032

1438689



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 143 X 319 morsi 4+2

CARR.: **BT** LT2000

MOTORE: **THRIGE-TITAN**

TIPO: **TTL140B-D1**

ARM. V1: **24** A1: **84**

ECC.: **COMPOUND**

V2: **24** A2: **9,5**

KW: **1,4** HP

U./MIN: **1530**

APPLIC.: **Trazione**

SERV: **S3-60%**

CODICE: **KLMT3310-**

214998



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 142 X 245 morsi 2+2

CARR.: **BT** SW

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140S-DS20**

ARM. V1: **24** A1: **55**

ECC.: **SEPARATA**

V2: **24** A2: **8,6**

KW: **1** HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT2403-**

174399



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 145 X 247 morsi 2+2

CARR.: **BT** BT

MOTORE: **THRIGE-TITAN**

TIPO: **TTL140BB-DS50**

ARM. V1: **24** A1: **115**

ECC.: **SEPARATA**

V2: **24** A2: **12**

KW: **2,2** HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S3-60%**

CATALOGO MOTORI

CODICE: **KLMT2384-**

167201

50041523



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 142 X 285 morsi 4+2

CARR.: **BT** PPT2000MX

MOTORE: **THRIGE-TITAN**

TIPO: **TTL140S-M2-UL**

ARM. V1: **24** A1: **64,5**

ECC.:

V2: **24** A2: **0,9**

KW: **1,2** HP

U./MIN: **1959**

APPLIC.: **Trazione**

SERV: **S3-60%**

CODICE: **KLMT2609-**

137927



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 162 X 278 morsi 4

CARR.: **BT** SR1.35

MOTORE: **THRIGE-TITAN**

TIPO: **TTL160A-D33**

ARM. V1: **24** A1: **155**

ECC.: **SERIE**

V2: HP

KW: **2,6** HP

U./MIN: **2500**

APPLIC.: **Trazione**

SERV: **S3-60%**

CODICE: **KLMT2666-**

177007

211180

2541852



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 142 X 295 morsi 2+2

CARR.: **BT** BT

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140S-DS20**

ARM. V1: **24** A1: **55**

ECC.: **SEPARATA**

V2: A2: **8 - 6**

KW: **1** HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT2686-**

176102



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 161 X 310 morsi 2+2

CARR.: **BT** 7PLL24

MOTORE: **THRIGE-TITAN**

TIPO: **TSL160A-DS60**

ARM. V1: **24** A1: **130**

ECC.: **SEPARATA**

V2: A2: **12**

KW: **2,5** HP

U./MIN: **2500**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT2279-**

160606

2477920



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 143 X 256 morsi 4

CARR.: **BT** OS20

MOTORE: **THRIGE-TITAN**

TIPO: **TTL140BB-D2**

ARM. V1: **24** A1: **96**

ECC.: **SERIE**

V2: A2:

KW: **1,8** HP

U./MIN: **2275**

APPLIC.: **Trazione**

SERV: **S3-60%**

CATALOGO MOTORI

CODICE: **KLMT3013-**

249064
ex.214999
7507831
ex.2541959



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 142 X 295 morsi 2+2

CARR.: **BT** SWE120
MOTORE: **THRIGE-TITAN**
TIPO: **TSL140S-DS30**
ARM. V1: **24** A1: **71**
ECC.: **SEPARATA**
V2: A2: **7,6**
KW: **1,2** HP
U./MIN: **2300**

APPLIC.: **Trazione** SERV: **S2 - 60'**

CODICE: **KLMT2713-**

100236
121448
1413449



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 187 X 352 morsi 4

CARR.: **BT** RT
MOTORE: **THRIGE-TITAN**
TIPO: **TTL180C-D5A**
ARM. V1: **48** A1: **118**
ECC.: **SERIE**
V2: A2:
KW: **5** HP
U./MIN: **1900**

APPLIC.: **Trazione** SERV: **S3-60%**

CODICE: **KLMT1958-**

100235
1413430



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 187 X 308 morsi 4

CARR.: **BT** RT1600SE
MOTORE: **THRIGE-TITAN**
TIPO: **TTL180A-D4A**
ARM. V1: **48** A1: **92**
ECC.: **SERIE**
V2: A2:
KW: **3,7** HP
U./MIN: **2260**

APPLIC.: **Trazione** SERV: **S3-60%**

CODICE: **KLMT3212-**

2.803140
48MB82LX-W



ROTAZIONE V.L.A.: Orario

∅ 112 X 196 morsi 2

CARR.: **BT - LUGLI** BT - RT1350
MOTORE: **HESSelman**
TIPO: **148MB82LXPR-4,3-MD6 VM**
ARM. V1: **48** A1:
ECC.: **COMPOUND**
V2: A2:
KW: **0,75** HP
U./MIN:

APPLIC.: **Servosterzo** SERV: **S3=8,5%**

CODICE: **KLMT1144-**

144908
1002204



ROTAZIONE V.L.A.: Orario

∅ 110 X 205 morsi 2

CARR.: **BT - LUGLI** BT - RT1350
MOTORE: **HESSelman**
TIPO: **148MB82LX-4,3-MD6**
ARM. V1: **48** A1:
ECC.: **COMPOUND**
V2: A2:
KW: HP
U./MIN:

APPLIC.: **Servosterzo** SERV:

CATALOGO MOTORI

CODICE: **KLMT2605-**
8342306



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 0 X 0 morsa 0

CARR.: **BT SYSTEM** RIDUTTORE
MOTORE: **SCHABMULLER**
TIPO: **MIWD26.21/150.459.339**
ARM. V1: **24** A1: **54**
ECC.: **M. PERMANENTE**
V2: A2:
KW: **1** HP
U./MIN: **1785**
APPLIC.: **Trazione** SERV: **S2-45MIN**

CODICE: **KLMT3157-**
3001857
H3001857
50028263*



ROTAZIONE V.L.A.: Orario

Ø 150 X 415 morsa 2

CARR.: **HUBTEX** HUBTEX 25 q
MOTORE: **SCHABMULLER**
TIPO: **R150/3,5RK-504/806-08/10**
ARM. V1: **48** A1:
ECC.: **SERIE**
V2: A2:
KW: **3,5** HP
U./MIN: **1500**
APPLIC.: **Servosterzo** SERV: **S2**

CODICE: **KLMT2378-**
3001848K
3001849
50039780*



ROTAZIONE V.L.A.: Orario

Ø 178 X 318 morsa 2

CARR.: **HUBTEX** HUBTEX
MOTORE: **SCHABMULLER**
TIPO: **R178/5RK-722/689-08/05**
ARM. V1: **76** A1:
ECC.: **SERIE**
V2: A2:
KW: **5** HP
U./MIN: **2625**
APPLIC.: **Sollevamento** SERV: **S1**

CODICE: **KLMT3651-**
3001877
3001878
50045518



ROTAZIONE V.L.A.: Orario

Ø 150 X 407 morsa 2

CARR.: **HUBTEX** HUBTEX
MOTORE: **SCHABMULLER**
TIPO: **R150/3RK-507/848-08/10**
ARM. V1: **80** A1:
ECC.: **SERIE**
V2: A2:
KW: **3** HP
U./MIN: **2005**
APPLIC.: **Sollevamento ?** SERV: **S1**

CODICE: **KLMT3224-**
9034.058



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 X 300 morsa 4

CARR.: **HUBTEX** VARI
MOTORE: **SCHABMULLER**
TIPO: **R210/4K-355/232**
ARM. V1: **80** A1: **58**
ECC.: **SERIE**
V2: A2:
KW: **4** HP
U./MIN: **1940**
APPLIC.: **Trazione** SERV: **S2-60MIN.**

CATALOGO MOTORI

CODICE: **KLMT3170-**

922480-0009



ROTAZIONE V.L.A.: Orario

Ø 187 X 377 morsi 2

CARR.: **HUBTEX** EFA27

MOTORE: **THRIGE-TITAN**

TIPO: **TTL180C**

ARM. V1: **80** A1: **220**

ECC.: **COMPOUND**

V2: A2:

KW: **14,2** HP

U./MIN: **2350**

APPLIC.: **Sollevamento**

SERV: **S3-20%**

CODICE: **KLMT3384-**

7507833

249066



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 143 X 278 morsi 2+2

CARR.: **TOYOTA - BT** BT

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140B-DS41**

ARM. V1: **24** A1: **93**

ECC.: **SEPARATA**

V2: A2: **7,4**

KW: **1,700** HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3380-**

214302



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 143 X 278 morsi 2+2

CARR.: **TOYOTA - BT** BT

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140B-DS41**

ARM. V1: **24** A1: **93**

ECC.: **SEPARATA**

V2: A2: **7,4**

KW: **1,700** HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3316-**

7507832

249065



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 143 X 278 morsi 2+2

CARR.: **TOYOTA - BT** BT

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140B-DS40**

ARM. V1: **24** A1: **93**

ECC.: **SEPARATA**

V2: A2: **7,4**

KW: **1,700** HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CODICE: **KLMT3294-**

173175



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 143 X 278 morsi 2+2

CARR.: **TOYOTA - BT** BT

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140B-DS40**

ARM. V1: **24** A1: **93**

ECC.: **SEPARATA**

V2: A2: **7,4**

KW: **1,700** HP

U./MIN: **2300**

APPLIC.: **Trazione**

SERV: **S2 - 60'**

CATALOGO MOTORI

CODICE: **KLMT2977-**
215000



CARR.: **TOYOTA - BT BT**

MOTORE: **THRIGE-TITAN**

TIPO: **TSL140B-DS40**

ARM. V1: **24**

A1: **93**

ECC.: **SEPARATA**

V2:

A2: **7,4**

KW: **1,700**

HP

U./MIN: **2300**

ROTAZIONE V.L.A.: Entrambi i sensi

∅ **143**

X **278**

mors **2+2**

APPLIC.: **Trazione**

SERV: **S2 - 60'**