

CATALOGO MOTORI

CODICE: **KLMT2865-**

0039810802



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 101 X 165 mors 3

CARR.: **FENWICK** TRASPALLET

MOTORE: **BERTRAND POLICO**

TIPO: **MS56-85 EHAS1M004**

ARM. V1: **24** A1: **15**

ECC.: **SERIE**

V2: A2:

KW: **0,18** HP

U./MIN: **70**

APPLIC.: **Servosterzo**

SERV: **S3-40%**

CODICE: **KLMT2286-**

0136403007



ROTAZIONE V.L.A.: Orario

Ø 125 X 251 mors 2

CARR.: **FENWICK** RE16

MOTORE: **BOSCH**

TIPO: **0136403007**

ARM. V1: **72** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,65** HP

U./MIN: **1200**

APPLIC.: **Servosterzo**

SERV: **S3 - 10%**

CODICE: **KLMT2032-**

0136401006



ROTAZIONE V.L.A.: Orario

Ø 125 X 253 mors 2

CARR.: **FENWICK** FENWICK

MOTORE: **BOSCH**

TIPO: **AMK5303=>F**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,5** HP

U./MIN: **2600**

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT1626-**

0039761111



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 X 258 mors 4

CARR.: **FENWICK** FENWICK - F

MOTORE: **BOSCH**

TIPO: **AMP4662<=>S**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **1,6** HP


U./MIN: **2750**

APPLIC.: **Trazione**

SERV: **S2**

CODICE: **KLMT1490-**

C103A



ROTAZIONE V.L.A.: Antiorario

Ø 102 X 297 mors 2

CARR.: **FENWICK** FENWICK

MOTORE: **FENW.**

TIPO: **C103**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: HP

U./MIN: **2200**

APPLIC.: **Servosterzo**

SERV:

CATALOGO MOTORI

CODICE: **KLMT3299-**

E3072600



ROTAZIONE V.L.A.: Antiorario

∅ 177 X 298 morsi 2

CARR.: **FENWICK** FENWICK
 MOTORE: **FENWICK**
 TIPO: **YM 3072600**
 ARM. V1: **24-36** A1: **205**
 ECC.: **SERIE**
 V2:
 KW: **3,8/5,8** A2: **HP**
 U./MIN: **1350/2000**

APPLIC.: **Sollevamento** SERV: **S2-10'**

CODICE: **KLMT1685-**

E3106169

3033211

3155342



ROTAZIONE V.L.A.: Antiorario

∅ 186 X 300 morsi 4

CARR.: **FENWICK** FENWICK
 MOTORE: **FENWICK**
 TIPO: **E3106169**
 ARM. V1: **36-48** A1: **180**
 ECC.: **SERIE**
 V2:
 KW: **5** A2: **HP**
 U./MIN: **2000**

APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT1995-**

E3094381

E3078696



ROTAZIONE V.L.A.: Antiorario

∅ 185 X 325 morsi 2

CARR.: **FENWICK** FENWICK
 MOTORE: **FENWICK**
 TIPO: **E3035414**
 ARM. V1: **48** A1: **180**
 ECC.: **SERIE**
 V2:
 KW: **6,8** A2: **HP**
 U./MIN: **2680 (285)**

APPLIC.: **Sollevamento** SERV: **S3-20%**

CODICE: **KLMT2067-**

L38TA

MTT1F

MTT1G



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 150 X 256 morsi 3+1

CARR.: **FENWICK** FE16
 MOTORE: **FENWICK**
 TIPO: **L38TA**
 ARM. V1: **24** A1:
 ECC.: **SERIE**
 V2:
 KW: **1** A2: **HP**
 U./MIN: **1300**

APPLIC.: **Trazione** SERV: **S2**

CODICE: **KLMT3019-**

3157278



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 185 X 245 morsi 4

CARR.: **FENWICK** PIATTAFORM
 MOTORE: **FPS**
 TIPO: **FPS**
 ARM. V1: **12** A1: **126**
 ECC.: **SERIE**
 V2:
 KW: **1,15** A2: **HP**
 U./MIN: **1120**

APPLIC.: **Trazione** SERV: **S2=1H**

CATALOGO MOTORI

CODICE: **KLMT1226-**
3304578



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 115 X 180 mors 4

CARR.: **FENWICK** XG10 - X16
MOTORE: **FPS**
TIPO: **T11 - X15/E3304578**
ARM. V1: **24** A1: **35**
ECC.: **SERIE**
V2: A2:
KW: **0,62** HP
U./MIN: **3200**
APPLIC.: **Trazione** SERV: **S2-1H**

CODICE: **KLMT3077-**



ROTAZIONE V.L.A.: Antiorario

∅ 170 X 300 mors 2

CARR.: **FENWICK** FENWICK
MOTORE: **LEROY**
TIPO: **FPS**
ARM. V1: **24-36** A1: **200**
ECC.: **SERIE**
V2: A2:
KW: **3,8-5,8** HP
U./MIN: **1350/2000**
APPLIC.: **Sollevamento** SERV: **S2 - 10MI**

CODICE: **KLMT1671-**

MTX16
MTX16AA



ROTAZIONE V.L.A.: Orario

∅ 150 X 0 mors 2

CARR.: **FENWICK** 8Q
MOTORE: **M.MARELLI**
TIPO: **MTX16B**
ARM. V1: **24** A1:
ECC.: **SERIE**
V2: A2:
KW: **3** HP
U./MIN: **2000**
APPLIC.: **Sollevamento** SERV:

CODICE: **KLMT2371-**

0039761121
0039761101

900-13ZV



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 150 X 250 mors 4

CARR.: **FENWICK** FENWICK
MOTORE: **SCHABMULLER**
TIPO: **R150/1,5-834/515 EIG.IMP**
ARM. V1: **24** A1:
ECC.: **SERIE**
V2: A2:
KW: **1,5** HP
U./MIN:
APPLIC.: **Trazione** SERV:

CODICE: **KLMT2297-**

0009810803

50034933*

903-010



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 112 X 165 mors 3

CARR.: **FENWICK** TRASPALLET
MOTORE: **SCHABMULLER - HESS**
TIPO: **R112/0,25-746/687-81-25**
ARM. V1: **24** A1:
ECC.: **SERIE**
V2: A2:
KW: **0,25** HP
U./MIN: **1465**
APPLIC.: **Servosterzo** SERV: **S3-29%**

CATALOGO MOTORI

CODICE: **KLMT1097-**

3653500000
3653500000L
0009810731
5814281



ROTAZIONE V.L.A.: Antiorario

Ø 125 X 228 morsa 2

CARR.: **LINDE - FENWI L16 TRASP**

MOTORE: **HPI**

TIPO: **107264G**

ARM. V1: **24** A1: **0**

ECC.: **COMPOUND**

V2: **0** A2: **0**

KW: **3** HP **0**

U./MIN: **0**

APPLIC.: **Sollevamento**

SERV: **S2= 2MIN**

CODICE: **KLMT2331-**

0009761170
TF12/581242



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 125 X 170 morsa 4

CARR.: **LINDE - FENWI XA20 - XG12 -**

MOTORE: **LE ROY SOMMER**

TIPO: **TF12/0009761170**

ARM. V1: **24** A1: **35**

ECC.: **SERIE**

V2: A2:

KW: **0,62** HP

U./MIN: **3200**

APPLIC.: **Trazione**

SERV: **S2 = 1H**