

CATALOGO MOTORI

CODICE: **KLMT1784-**



ROTAZIONE V.L.A.: Antiorario

Ø 155 X 245 mors 2

CARR.: **FIAT- OM** E

MOTORE: **ANSALDO**

TIPO: **K1P0731 B006**

ARM. V1: **36-48** A1: **38/37**

ECC.: **COMPOUND**

V2: A2:

KW: **0,87/1,21** HP

U./MIN: **1740/2420**

APPLIC.: **Servosterzo**

SERV: **S6-25%**

CODICE: **KLMT1783-**

9430618

9433922



ROTAZIONE V.L.A.: Antiorario

Ø 155 X 228 mors 2

CARR.: **FIAT- OM** E15/3C

MOTORE: **ANSALDO**

TIPO: **K1P0731 B005**

ARM. V1: **36-48** A1: **38/37**

ECC.: **COMPOUND**

V2: A2:

KW: **0,87/1,21** HP

U./MIN: **1740/2420**

APPLIC.: **Servosterzo**

SERV: **S6-25%**

CODICE: **KLMT1748-**

9433921



ROTAZIONE V.L.A.: Antiorario

Ø 155 X 259 mors 2

CARR.: **FIAT- OM** E25B

MOTORE: **ANSALDO**

TIPO: **K1P0761B001**

ARM. V1: **72** A1: **28,4/6**

ECC.: **COMPOUND**

V2: A2:

KW: **1,42/0,25** HP

U./MIN: **1850/2450**

APPLIC.: **Servosterzo**

SERV: **S6 - 25%**

CODICE: **KLMT1445-**

9297413

9831345



ROTAZIONE V.L.A.: Antiorario

Ø 155 X 245 mors 2

CARR.: **FIAT- OM** E25B

MOTORE: **ANSALDO**

TIPO: **K1P0731B000**

ARM. V1: **72** A1: **28**

ECC.: **COMPOUND**

V2: A2:

KW: **1,44** HP

U./MIN: **2800**

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT1895-**

9280841

PCUS1.5



ROTAZIONE V.L.A.: Antiorario

Ø 155 X 257 mors 2

CARR.: **FIAT- OM** E35B

MOTORE: **ANSALDO**

TIPO: **K1P0731 B000**

ARM. V1: **80** A1: **17,5**

ECC.: **COMPOUND**

V2: A2:

KW: **1** HP

U./MIN: **3000**

APPLIC.: **Servosterzo**

SERV: **INT.25%**

CATALOGO MOTORI

CODICE: **KLMT1105-**

9451222

0136501052



ROTAZIONE V.L.A.: Antiorario

∅ 150 X 228 morsi 2

CARR.: **FIAT- OM** E15N -
 MOTORE: **BOSCH**
 TIPO: **AMP5303<=F**
 ARM. V1: **36-48** A1:
 ECC.: **COMPOUND**
 V2: A2:
 KW: **0,3** HP
 U./MIN: **3100**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT1446-**

9451223

11214253



ROTAZIONE V.L.A.: Antiorario

∅ 150 X 260 morsi 2

CARR.: **FIAT- OM** E20B - E25B
 MOTORE: **BOSCH**
 TIPO: **AMP5609<=F**
 ARM. V1: **72** A1: **8/27**
 ECC.: **COMPOUND**
 V2: A2:
 KW: **0,25/1,5** HP
 U./MIN: **2400/1900**

APPLIC.: **Servosterzo** SERV: **S6-25%**

CODICE: **KLMT2484-**

95350077

X9454229



ROTAZIONE V.L.A.: Orario

∅ 177 X 320 morsi 2

CARR.: **FIAT- OM** E60N-E70N-E
 MOTORE: **FIAT- OM**
 TIPO: **L39PD**
 ARM. V1: **80** A1:
 ECC.: **COMPOUND**
 V2: A2:
 KW: **2** HP
 U./MIN: **1600**

APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT2329-**

95350077



ROTAZIONE V.L.A.: Orario

∅ 177 X 380 morsi 2

CARR.: **FIAT- OM** E60N-E70N-E
 MOTORE: **FIAT- OM**
 TIPO: **PME**
 ARM. V1: **80** A1: **36**
 ECC.: **COMPOUND**
 V2: A2:
 KW: **2** HP
 U./MIN: **1620**

APPLIC.: **Servosterzo** SERV: **S3-70%**

CODICE: **KLMT1455-**

9454229

9454229/PM



ROTAZIONE V.L.A.: Orario

∅ 177 X 380 morsi 2

CARR.: **FIAT- OM** E60N-E70N-E
 MOTORE: **FIAT- OM**
 TIPO: **177 4SP.**
 ARM. V1: **80** A1: **30**
 ECC.: **COMPOUND**
 V2: A2:
 KW: **2** HP
 U./MIN: **1620**

APPLIC.: **Servosterzo** SERV: **S2 - 60'**

CATALOGO MOTORI

CODICE: **KLMT3332-**

45235420500

50041505*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 160 morsi 3

CARR.: **FIAT-OM** CTX

MOTORE: **SCHABMULLER**

TIPO: **TSL100-172-18**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,15** HP

U./MIN: **1345**

APPLIC.: **Servosterzo**

SERV: **S3-78%**

CODICE: **KLMT2542-**

416142

931772

8416142

50041505*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 161 morsi 3

CARR.: **FIAT-OM** SU - SV - SD

MOTORE: **SCHABMULLER**

TIPO: **R100/0,15-231/172-81-18 SO**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,15** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CODICE: **KLMT3614-**

925736

8020889

020889

50062925



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 160 morsi 3

CARR.: **FIAT-OM** TSR

MOTORE: **SCHABMULLER**

TIPO: **TSL100-131**

ARM. V1: **48** A1: **12,6**

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2815**

APPLIC.: **Servosterzo**

SERV: **S3 - 56%**

CODICE: **KLMT2694-**

95319864

908-013



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 275 morsi 2

CARR.: **FIAT-OM** A2

MOTORE: **SCHABMULLER**

TIPO: **D150/0,9LK-901/818-../22**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,9** HP

U./MIN: **820**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3432-**

40313500801



ROTAZIONE V.L.A.: Orario

Ø 150 X 320 morsi 2

CARR.: **FIAT-OM** XE80

MOTORE: **SCHABMULLER**

TIPO: **TSL150-100-882**

ARM. V1: **80** A1: **30,5**

ECC.: **SERIE**

V2: A2:

KW: **2** HP

U./MIN: **1800**

APPLIC.: **Servosterzo**

SERV: **S3-100%**

CATALOGO MOTORI

CODICE: **KLMT2251-**

020847
70809007
70809004



ROTAZIONE V.L.A.: Orario

Ø 150 X 281 morsa 2

CARR.: **PIMESPO** PIMESPO
MOTORE: **PIMESPO**
TIPO: **150 ST24**
ARM. V1: **48** A1: **25**
ECC.: **COMPOUND**
V2: A2:
KW: **1** HP
U./MIN: **1160**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT2485-**

0009761016
9848450*
50054426*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 253 morsa 3

CARR.: **PIMESPO** TSX - TLX - C
MOTORE: **SCHABMULLER**
TIPO: **TSL100A-177.46**
ARM. V1: **24** A1:
ECC.: **SERIE**
V2: A2:
KW: **0,4** HP
U./MIN: **2800**

APPLIC.: **Servosterzo** SERV: **S3=59%**

CODICE: **KLMT3460-**

45395420500
50062178*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 255 morsa 3

CARR.: **PIMESPO** LOGO 1 AC
MOTORE: **SCHABMULLER**
TIPO: **TSL100A-178.46**
ARM. V1: **24** A1: **36**
ECC.: **SERIE**
V2: A2:
KW: **0,6** HP
U./MIN: **2800**

APPLIC.: **Servosterzo** SERV: **S3=38%**

CODICE: **KLMT2579-**

95325593



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 237 morsa 2

CARR.: **PIMESPO** THESI
MOTORE: **SCHABMULLER**
TIPO: **TSL150A-850**
ARM. V1: **48** A1:
ECC.: **SERIE**
V2: A2:
KW: **1,5** HP
U./MIN: **1440**

APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT2520-**

95319489
50034882



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 X 160 morsa 2

CARR.: **PIMESPO** MODO3
MOTORE: **SCHABMULLER**
TIPO: **P112/0,6-745/686-81-46 HES**
ARM. V1: **48** A1:
ECC.: **M. PERMANENTE**
V2: A2:
KW: **0,600** HP
U./MIN: **3200**

APPLIC.: **Servosterzo** SERV: **S3-26%**