

CATALOGO MOTORI

CODICE: KLMT1005-

0009761102
0009761112
0009761182
0009761192



ROTAZIONE V.L.A.: Orario

Ø 177 X 338 mors 2

CARR.: **LINDE** E10 - 12 - 15
MOTORE: **BOSCH**
TIPO: **0136601005**
ARM. V1: **24** A1:
ECC.: **SERIE**
V2: A2:
KW: **4,5** HP
U./MIN: **1900**
APPLIC.: **Sollevamento** SERV:

CODICE: KLMT1894-

0039761119
0039810718
0039810720
0039810726



ROTAZIONE V.L.A.: Antiorario

Ø 106 X 116 mors 2

CARR.: **LINDE** T16
MOTORE: **ECIA**
TIPO: **112237**
ARM. V1: **24** A1:
ECC.: **M. PERMANENTE**
V2: A2:
KW: **1** HP
U./MIN:
APPLIC.: **Sollevamento** SERV: **S3- 10%**

CODICE: KLMT2901-

0009761163n
0009761108n
95306034ne
506522new



ROTAZIONE V.L.A.: Antiorario

Ø 113 X 195 mors 2

CARR.: **LINDE** L12
MOTORE: **HPI**
TIPO: **109524J**
ARM. V1: **24** A1:
ECC.: **COMPOUND**
V2: A2:
KW: **2,1** HP
U./MIN: **2200**
APPLIC.: **Sollevamento** SERV: **S2 - 3min.**

CODICE: KLMT1029-

0009761163
0009761108
95306034
506522



ROTAZIONE V.L.A.: Antiorario

Ø 112 X 195 mors 2

CARR.: **LINDE** XG12
MOTORE: **HPI**
TIPO: **109524J**
ARM. V1: **24** A1:
ECC.: **COMPOUND**
V2: A2:
KW: **2,1** HP
U./MIN: **2200**
APPLIC.: **Sollevamento** SERV: **S2 - 3min.**

CODICE: KLMT2962-

106721
506514
106721C
106721D



ROTAZIONE V.L.A.: Antiorario

Ø 80 X 152 mors 2

CARR.: **LINDE** TRASP. XA20
MOTORE: **HPI**
TIPO: **106721**
ARM. V1: **24** A1:
ECC.: **M. PERMANENTE**
V2: A2:
KW: **1,2** HP
U./MIN: **4500**
APPLIC.: **Sollevamento** SERV: **S2-4MIN.**

CATALOGO MOTORI

CODICE: **KLMT3621-**

8593500601



ROTAZIONE V.L.A.: Orario

∅ 257 X 305 mors 3

CARR.: **LINDE** 336/03

MOTORE: **JULI**

TIPO: **AP124-K3**

ARM. V1: **3F - 48** A1: **470**

ECC.: **ASINCRONO Hz:89**

V2: A2:

KW: **28** HP

U./MIN: **2490**

APPLIC.: **Sollevamento** SERV: **S3 - 15%**

CODICE: **KLMT3549-**

8593500602



ROTAZIONE V.L.A.: Orario

∅ 257 X 305 mors 3

CARR.: **LINDE** 336/03

MOTORE: **JULI**

TIPO: **AP124-K3**

ARM. V1: **3F - 48** A1: **260**

ECC.: **ASINCRONO Hz:110**

V2: A2:

KW: **17** HP

U./MIN: **3200**

APPLIC.: **Sollevamento** SERV: **S3 - 15%**

CODICE: **KLMT1024-**

0009761155

0009768155

308550



ROTAZIONE V.L.A.: Orario

∅ 185 X 320 mors 2

CARR.: **LINDE** E16S

MOTORE: **JULI**

TIPO: **GP116-14/7,8**

ARM. V1: **48** A1: **230**

ECC.: **COMPOUND**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Sollevamento** SERV: **S3**

CODICE: **KLMT1032-**

0009761177

0009768177

1002008

11170034



ROTAZIONE V.L.A.: Orario

∅ 185 X 275 mors 2

CARR.: **LINDE** E16 - E18

MOTORE: **JULI**

TIPO: **GP116-14/7,8**

ARM. V1: **48** A1: **230**

ECC.: **COMPOUND**

V2: A2:

KW: **9** HP

U./MIN: **2800**

APPLIC.: **Sollevamento** SERV: **15%**

CODICE: **KLMT2548-**

0009761159

0009768159



ROTAZIONE V.L.A.: Orario

∅ 185 X 320 mors 2

CARR.: **LINDE** E16S

MOTORE: **JULI**

TIPO: **GP116-14/7,8**

ARM. V1: **48** A1: **230**

ECC.: **COMPOUND**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Sollevamento** SERV: **S3 - 15%**

CATALOGO MOTORI

CODICE: KLMT1039-

0009761251
0009768251
0009810815*
0009810885*



ROTAZIONE V.L.A.: Orario

Ø 184 X 295 mors 2

CARR.: **LINDE** 335
MOTORE: **JULI**
TIPO: **GP116-14/7**
ARM. V1: **48** A1: **230**
ECC.: **SERIE**
V2: A2:
KW: **9** HP
U./MIN: **2900**
APPLIC.: **Sollevamento** SERV: **S3 - 15%**

CODICE: KLMT3367-

0009810826
0009810895A



ROTAZIONE V.L.A.: Orario

Ø 186 X 280 mors 2

CARR.: **LINDE** 335
MOTORE: **JULI**
TIPO: **GP116-F1**
ARM. V1: **48** A1: **230**
ECC.: **SERIE**
V2: A2:
KW: **9** HP
U./MIN: **2900**
APPLIC.: **Sollevamento** SERV: **S3 - 15%**

CODICE: KLMT2563-

0029761001

375617



ROTAZIONE V.L.A.: Orario

Ø 250 X 342 mors 2

CARR.: **LINDE** E40 - E48
MOTORE: **JULI**
TIPO: **GP164-14/2.2**
ARM. V1: **80** A1: **220**
ECC.: **COMPOUND**
V2: A2:
KW: **15** HP **20**
U./MIN: **2000**
APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: KLMT1035-

0009761197
0009761249
0009768197
0009768249



ROTAZIONE V.L.A.: Orario

Ø 220 X 270 mors 2

CARR.: **LINDE** E20 / E25 / E3
MOTORE: **JULI**
TIPO: **GP144-14/4,3**
ARM. V1: **80** A1: **200**
ECC.: **SERIE**
V2: A2:
KW: **13,5** HP
U./MIN: **2550**
APPLIC.: **Sollevamento** SERV: **15%**

CODICE: KLMT3081-

0009760906



ROTAZIONE V.L.A.: Orario

Ø 185 X 294 mors 2

CARR.: **LINDE** E12 - E15
MOTORE: **JULY**
TIPO: **GP116-B1**
ARM. V1: **24** A1: **260**
ECC.: **SERIE**
V2: A2:
KW: **5** HP
U./MIN: **2500**
APPLIC.: **Sollevamento** SERV: **S3-15%**

CATALOGO MOTORI

CODICE: **KLMT2211-**

0009801706

907-010-0114

50022151



ROTAZIONE V.L.A.: Orario

∅ 112 X 213 mors 2

CARR.: **LINDE** L16L

MOTORE: **SCHABMULLER**

TIPO: **D112/2R-126/103-../05**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2470**

APPLIC.: **Sollevamento** SERV: **S3-10'**

CODICE: **KLMT2876-**

0009810823

5786083-001



ROTAZIONE V.L.A.: Orario

∅ 125 X 243 mors 2

CARR.: **LINDE** V10 146

MOTORE: **SCHABMULLER**

TIPO: **D125/3R-519/502-../05**

ARM. V1: **24** A1: **16,5**

ECC.: **COMPOUND**

V2: A2:

KW: **3** HP

U./MIN: **3310**

APPLIC.: **Sollevamento** SERV: **S3 = XX%**

CODICE: **KLMT1043-**

0009810705

0009810785



ROTAZIONE V.L.A.: Orario

∅ 210 X 370 mors 2

CARR.: **LINDE** E20 -25 - 30 V

MOTORE: **SCHABMULLER**

TIPO: **R210/10,5R-94/54**

ARM. V1: **80** A1: **160**

ECC.: **SERIE**

V2: A2:

KW: **10,5** HP

U./MIN: **2260**

APPLIC.: **Sollevamento** SERV: **S3 = 20%**

CODICE: **KLMT1011-**

0009761118

0009761198A

067410P



ROTAZIONE V.L.A.: Orario

∅ 184 X 290 mors 2

CARR.: **LINDE** E10-12-15

MOTORE: **STILL**

TIPO: **GP**

ARM. V1: **24** A1: **260**

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3 - 15%**

CODICE: **KLMT2782-**

0009761178

354801



ROTAZIONE V.L.A.: Orario

∅ 185 X 290 mors 2

CARR.: **LINDE** E12 - E15

MOTORE: **STILL**

TIPO: **GP116-14/5,5**

ARM. V1: **24** A1: **260**

ECC.: **SERIE**

V2: A2:

KW: **5** HP

U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CATALOGO MOTORI

CODICE: **KLMT1018-**

0009761137
0009761150
0009761154
0009761156



ROTAZIONE V.L.A.: Orario

∅ 185 X 290 mors 2

CARR.: **LINDE** E12 - E15
MOTORE: **STILL**
TIPO: **GP116-14/5,5**
ARM. V1: **24** A1: **260**
ECC.: **SERIE**
V2: A2:
KW: **5** HP
U./MIN: **2500**

APPLIC.: **Sollevamento** SERV: **S3-**

CODICE: **KLMT1016-**

0009761130
0009761139
0009768130
0009768139



ROTAZIONE V.L.A.: Orario

∅ 255 X 338 mors 2

CARR.: **LINDE** E20 - E25 - E
MOTORE: **STILL**
TIPO: **065942P**
ARM. V1: **80** A1: **220**
ECC.: **COMPOUND**
V2: A2:
KW: **15** HP
U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3-15%**

CODICE: **KLMT2689-**

0009761188



ROTAZIONE V.L.A.: Orario

∅ 250 X 342 mors 2

CARR.: **LINDE** E20-25-30
MOTORE: **STILL**
TIPO: **GP164-14/2.2**
ARM. V1: **80** A1: **220**
ECC.: **COMPOUND**
V2: A2:
KW: **15** HP **20**
U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3=15%**

CODICE: **KLMT1021-**

0009761148
0009768148
138285AT



ROTAZIONE V.L.A.: Orario

∅ 255 X 355 mors 2

CARR.: **LINDE** E20-25-30
MOTORE: **STILL**
TIPO: **065912**
ARM. V1: **80** A1: **220**
ECC.: **COMPOUND**
V2: A2:
KW: **15** HP **20**
U./MIN: **2000**

APPLIC.: **Sollevamento** SERV: **S3=15%**

CODICE: **KLMT1097-**

3653500000
3653500000L
0009810731
5814281



ROTAZIONE V.L.A.: Antiorario

∅ 125 X 228 mors 2

CARR.: **LINDE - FENWI** L16 TRASP
MOTORE: **HPI**
TIPO: **107264G**
ARM. V1: **24** A1: **0**
ECC.: **COMPOUND**
V2: **0** A2: **0**
KW: **3** HP **0**
U./MIN: **0**

APPLIC.: **Sollevamento** SERV: **S2= 2MIN**

CATALOGO MOTORI

CODICE: **KLMT1635-**

0039761125

110678E

11212559*



ROTAZIONE V.L.A.: Antiorario

∅ 112 X 195 mors 2

CARR.: **LINDE - HPI - V L10 - VARI**

MOTORE: **ISKRA**

TIPO: **AMJ5114<=C**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **2,1** HP

U./MIN: **2200**

APPLIC.: **Sollevamento**

SERV: **S3-10%**

CODICE: **KLMT3397-**

0009760928



ROTAZIONE V.L.A.: Orario

∅ 186 X 286 mors 2

CARR.: **OM-LINDE** XE15-18

MOTORE: **JULI**

TIPO: **GP116-14/7.9**

ARM. V1: **48** A1: **230**

ECC.: **SERIE**

V2: A2:

KW: **9** HP

U./MIN: **2900**

APPLIC.: **Sollevamento**

SERV: **15%**

CODICE: **KLMT1473-**

95303081

0009761176

95305345 **

003591***



ROTAZIONE V.L.A.: Antiorario

∅ 107 X 135 mors 2

CARR.: **PIMESPO - LIN TRASPALLET**

MOTORE: **HPI**

TIPO: **AE2C 109512 (nero)**

ARM. V1: **24** A1:

ECC.: **MAG. PERM.**

V2: A2:

KW: **1,2** HP

U./MIN:

APPLIC.: **Sollevamento**

SERV:

CODICE: **KLMT2676-**



ROTAZIONE V.L.A.: Antiorario

∅ 106 X 136 mors 2

CARR.: **PIMESPO - LIN TRASPALLET**

MOTORE: **ISKRA**

TIPO: **AMG1635<=C**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1,2** HP

U./MIN: **5000**

APPLIC.: **Sollevamento**

SERV: **S3 - 8,5%**

CODICE: **KLMT1111-**

11216241

47045904

106721

ex.11212631



ROTAZIONE V.L.A.: Antiorario

∅ 80 X 160 mors 2

CARR.: **VARI - LINDE** VARI-TRASP

MOTORE: **ISKRA**

TIPO: **AME1723<=C**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,8** HP

U./MIN: **4500**

APPLIC.: **Sollevamento**

SERV: **S2-4MIN.**