

CATALOGO MOTORI

CODICE: **KLMT3480-**

467650



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 230 X 198 mors 3

CARR.: **MITSUBISHI** AC

MOTORE: **ABM**

TIPO: **ZFB05S0/TDH230/4DG63D-4**

ARM. V1: **3F-15** A1: **36**

ECC.: **ASINCRONO 144Hz**

V2: A2:

KW: **0,600** HP

U./MIN:

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT3076-**

97G20-00020



ROTAZIONE V.L.A.: Antiorario

∅ 287 X 370 mors 2

CARR.: **MITSUBISHI** FB30K

MOTORE: **GE-MOTOR**

TIPO: **5BT1362B150A**

ARM. V1: **36-48** A1: **400**

ECC.: **SERIE**

V2: A2:

KW: **12,1-16,7** HP

U./MIN: **1423-1960**

APPLIC.: **Sollevamento**

SERV: **15 MIN.**

CODICE: **KLMT2687-**

97B20-17100

CAT97B2017

11213232ne



ROTAZIONE V.L.A.: Orario

∅ 125 X 245 mors 2

CARR.: **MITSUBISHI** MITSUBISHI

MOTORE: **ISKRA**

TIPO: **AMK6106 /AMK6129**

ARM. V1: **80** A1:

ECC.: **BRUSHLESS**

V2: A2:

KW: **1,2** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT3274-**

97M20-30200

97M2030200

97M20-10200

97M2010200



ROTAZIONE V.L.A.: Antiorario

∅ 178 X 346 mors 2

CARR.: **MITSUBISHI** FB15KRT

MOTORE: **ISKRA**

TIPO: **AMT4650=>**

ARM. V1: **24** A1: **530**

ECC.: **SERIE**

V2: A2:

KW: **8,8** HP

U./MIN: **2050 ??**

APPLIC.: **Sollevamento**

SERV: **S3 - 20%**

CODICE: **KLMT3566-**

450194



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 114 X 0 mors 2

CARR.: **MITSUBISHI** OPB20S

MOTORE: **KORDEL-LEROY**

TIPO: **KMP1120RL ??**

ARM. V1: **24** A1: **44,44**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **0**

APPLIC.: **Servosterzo**

SERV: **S1**

CATALOGO MOTORI



CODICE: **KLMT3597-**

97520-00300
9752000300



ROTAZIONE V.L.A.: Orario

Ø 235 X 415 mors 2+2

CARR.: **MITSUBISHI** FBP

MOTORE: **MCF**

TIPO: **97520-00300**

ARM. V1: **36-48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **9,5/12,9** HP

U./MIN: **1125/1560**

APPLIC.: **Sollevamento**

SERV: **S3 - 15%**

CODICE: **KLMT3312-**

97820-00600
9782000600



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 290 X 385 mors 4

CARR.: **MITSUBISHI** FB20

MOTORE: **MCF**

TIPO: **97820-00600- AU1840**

ARM. V1: **36-48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: HP **0**

U./MIN: **0**

APPLIC.: **Trazione**

SERV: **S2=1H**

CODICE: **KLMT3364-**

97021-09900
9702109900
97021-05300
9702105300



ROTAZIONE V.L.A.: Orario

Ø 170 X 368 mors 3

CARR.: **MITSUBISHI** MITSUBISHI

MOTORE: **SCHABMULLER**

TIPO: **TSA170-240-17-UL**

ARM. V1: **3F- 28** A1:

ECC.: **ASINCRONO 58Hz**

V2: A2:

KW: **10 - 14** HP

U./MIN: **2314 - 163**

APPLIC.: **Sollevamento**

SERV: **S3 -26% -**

CODICE: **KLMT2975-**

450248
50039119*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 X 240 mors 2+2

CARR.: **MITSUBISHI** PBV20K

MOTORE: **SCHABMULLER**

TIPO: **N150/1,5-910/834-20**

ARM. V1: **24** A1:

ECC.: **SEPARATA**

V2: A2:

KW: **1,5** HP

U./MIN: **3350**

APPLIC.: **Trazione**

SERV: **S2-60'**

CODICE: **KLMT2247-**

450248
550195-
EX.50046824
50053530*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 150 X 240 mors 2+2

CARR.: **MITSUBISHI** PBV20K

MOTORE: **SCHABMULLER**

TIPO: **SFS23.40-N150/2FK**

ARM. V1: **24** A1:

ECC.: **SEPARATA**

V2: A2:

KW: **2** HP

U./MIN: **3250**

APPLIC.: **Trazione**

SERV: **S2-60'**

CATALOGO MOTORICODICE: **KLMT3123-**

97021-05200

9702105200



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 200 X 303 morsa 3

CARR.: **mitsubishi** MITSUBISHIMOTORE: **SCHABMULLER**TIPO: **TSA200-160-37**ARM. V1: **3F-28** A1:ECC.: **ASINCRONO 90Hz**

V2: A2:

KW: **5** HPU./MIN: **3300**APPLIC.: **Trazione**SERV: **S2 - 60'**CODICE: **KLMT2643-**

97020-09800

9702009800

97020-19800

97020-00100



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 210 X 300 morsa 2+2

CARR.: **mitsubishi** ETB5A - EP16MOTORE: **SCHABMULLER**TIPO: **N210/4,5K-472/315**ARM. V1: **48** A1:ECC.: **INDIPENDENTE**

V2: A2:

KW: **4,5** HPU./MIN: **2185**APPLIC.: **Trazione**SERV: **S2-60'**