

CATALOGO MOTORI

CODICE: **KLMT2265-**

8237110

50039147



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 125 X 182 mors 2

CARR.: **ACCALON** ACCALON

MOTORE: **SCHABMULLER**

TIPO: **P125/0,5-716/576-120-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3810**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT1362-**

58014

0058014

0005751156



ROTAZIONE V.L.A.: Orario

∅ 150 X 319 mors 2

CARR.: **CESAB** MACH40q:li

MOTORE: **SCHABMULLER**

TIPO: **R150/2RK-888/821-../10**

ARM. V1: **80** A1: **32**

ECC.: **SERIE**

V2: A2:

KW: **2** HP

U./MIN: **1370**

APPLIC.: **Servosterzo**

SERV: **S3-58%**

CODICE: **KLMT1303-**

4308579

3068582

3793375

50025879**



ROTAZIONE V.L.A.: Orario

∅ 112 X 245 mors 2

CARR.: **CLARK** CLARK

MOTORE: **SCHABMULLER**

TIPO: **P112/0,5K-693/521-3,2/01**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **1525**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT1245-**

3793377

4309465

4309466

50018301



ROTAZIONE V.L.A.: Orario

∅ 112 X 245 mors 2

CARR.: **CLARK** CLARK

MOTORE: **SCHABMULLER**

TIPO: **P112/0,5K-694/511-../01**

ARM. V1: **80** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,6** HP

U./MIN: **1270**

APPLIC.: **Servosterzo**

SERV: **S3-60%**

CODICE: **KLMT1302-**

4307567

4307568

3792789

3067282



ROTAZIONE V.L.A.: Orario

∅ 112 X 240 mors 2

CARR.: **CLARK** EPN25N

MOTORE: **SCHABMULLER**

TIPO: **P112/0,6K-606/583-../05**

ARM. V1: **80** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,6** HP

U./MIN: **1940**

APPLIC.: **Servosterzo**

SERV: **S1**

CATALOGO MOTORI

CODICE: **KLMT3572-**

50073254*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 110 X 340 mors 3

CARR.: **E80** AGV

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-013.51**

ARM. V1: **3F - 32** A1:

ECC.: **ASINCRONO Hz160**

V2: A2:

KW: **1,45** HP

U./MIN: **4600**

APPLIC.: **Servosterzo**

SERV: **S3-50%**

CODICE: **KLMT3467-**

R014320014



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 130 X 158 mors 3

CARR.: **ELETTRIC80** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106AB-10**

ARM. V1: **3F- 32** A1:

ECC.: **ASINCRONO Hz140**

V2: A2:

KW: **0,51** HP

U./MIN: **3850**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT3469-**

R014350053



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 130 X 200 mors 3

CARR.: **ELETTRIC80** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-013**

ARM. V1: **3F- 32** A1:

ECC.: **ASINCRONO Hz160**

V2: A2:

KW: **1,45** HP

U./MIN: **4600**

APPLIC.: **Servosterzo**

SERV: **S3-58%**

CODICE: **KLMT3468-**

50078262



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 130 X 300 mors 3

CARR.: **ELETTRIC80** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-013**

ARM. V1: **3F- 32** A1:

ECC.: **ASINCRONO Hz160**

V2: A2:

KW: **1,45** HP

U./MIN: **4600**

APPLIC.: **Servosterzo**

SERV: **S3-50%**

CODICE: **KLMT3537-**

50038842*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 mors 2

CARR.: **ELETTRIC80** VARI

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-62/25-81-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CATALOGO MOTORI

CODICE: **KLMT3291-**

50031285*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 102 X 163 morsa 2

CARR.: **EUROIMPIANTI SKILLED**
 MOTORE: **SCHABMULLER**
 TIPO: **TSL102-3.46**
 ARM. V1: **48** A1:
 ECC.: **M. PERMANENTE**
 V2: A2:
 KW: **0,4** HP
 U./MIN: **2680**

APPLIC.: **Servosterzo** SERV: **S3-70%**

CODICE: **KLMT2297-**

0009810803

50034933*

903-010



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 112 X 165 morsa 3

CARR.: **FENWICK TRASPALLET**
 MOTORE: **SCHABMULLER - HESS**
 TIPO: **R112/0,25-746/687-81-25**
 ARM. V1: **24** A1:
 ECC.: **SERIE**
 V2: A2:
 KW: **0,25** HP
 U./MIN: **1465**

APPLIC.: **Servosterzo** SERV: **S3-29%**

CODICE: **KLMT3332-**

45235420500

50041505*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 160 morsa 3

CARR.: **FIAT- OM CTX**
 MOTORE: **SCHABMULLER**
 TIPO: **TSL100-172-18**
 ARM. V1: **24** A1:
 ECC.: **SERIE**
 V2: A2:
 KW: **0,15** HP
 U./MIN: **1345**

APPLIC.: **Servosterzo** SERV: **S3-78%**

CODICE: **KLMT2542-**

416142

931772

8416142

50041505*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 161 morsa 3

CARR.: **FIAT- OM SU - SV - SD**
 MOTORE: **SCHABMULLER**
 TIPO: **R100/0,15-231/172-81-18 SO**
 ARM. V1: **24** A1:
 ECC.: **SERIE**
 V2: A2:
 KW: **0,15** HP
 U./MIN:

APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT2694-**

95319864

908-013



ROTAZIONE V.L.A.: Antiorario

Ø 150 X 275 morsa 2

CARR.: **FIAT- OM A2**
 MOTORE: **SCHABMULLER**
 TIPO: **D150/0,9LK-901/818-./22**
 ARM. V1: **48** A1:
 ECC.: **COMPOUND**
 V2: A2:
 KW: **0,9** HP
 U./MIN: **820**

APPLIC.: **Servosterzo** SERV: **S1**

CATALOGO MOTORI



CODICE: **KLMT3614-**

925736
8020889
020889
50062925



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 160 morsi 3

CARR.: **FIAT- OM** TSR

MOTORE: **SCHABMULLER**

TIPO: **TSL100-131**

ARM. V1: **48** A1: **12,6**

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2815**

APPLIC.: **Servosterzo**

SERV: **S3 - 56%**

CODICE: **KLMT3432-**

40313500801



ROTAZIONE V.L.A.: Orario

Ø 150 X 320 morsi 2

CARR.: **FIAT- OM** XE80

MOTORE: **SCHABMULLER**

TIPO: **TSL150-100-882**

ARM. V1: **80** A1: **30,5**

ECC.: **SERIE**

V2: A2:

KW: **2** HP

U./MIN: **1800**

APPLIC.: **Servosterzo**

SERV: **S3-100%**

CODICE: **KLMT3157-**

3001857
H3001857

50028263*



ROTAZIONE V.L.A.: Orario

Ø 150 X 415 morsi 2

CARR.: **HUBTEX** HUBTEX 25 q

MOTORE: **SCHABMULLER**

TIPO: **R150/3,5RK-504/806-08/10**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **3,5** HP

U./MIN: **1500**

APPLIC.: **Servosterzo**

SERV: **S2**

CODICE: **KLMT1095-**

0363036
0363374
696087
50019627



ROTAZIONE V.L.A.: Orario

Ø 112 X 245 morsi 2

CARR.: **HYSTER** ERB12,5 - A1

MOTORE: **SCHABMULLER**

TIPO: **P112/0,7K-542/533-3,8/10**

ARM. V1: **24** A1: **42**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,7** HP

U./MIN: **1530**

APPLIC.: **Servosterzo**

SERV: **S3 - 50%**

CODICE: **KLMT2798-**

1567605
1525635
3072296



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 106 X 260 morsi 3

CARR.: **HYSTER** NACCO

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-3.46**

ARM. V1: **3F- 14,5** A1:

ECC.: **ASINCRONO Hz120**

V2: A2:

KW: **0,65** HP

U./MIN: **3210**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CATALOGO MOTORI



CODICE: **KLMT3357-**

411982
402971

50015388*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 102 X 145 mors 2

CARR.: **INDUMAT** MOTORUOTA
MOTORE: **SCHABMULLER**
TIPO: **P102/0,05-35/9-81/46**
ARM. V1: **48** A1: **2**
ECC.: **M. PERMANENTE**
V2: A2:
KW: **0,05** HP
U./MIN: **3200**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT2462-**

411982
402971

EX.50018720



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 102 X 145 mors 2

CARR.: **INDUMAT** MOTORUOTA
MOTORE: **SCHABMULLER**
TIPO: **P102/0,05-42/24-81/46**
ARM. V1: **48** A1: **2**
ECC.: **M. PERMANENTE**
V2: A2:
KW: **0,05** HP
U./MIN: **3200**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT2127-**



ROTAZIONE V.L.A.: Orario

∅ 112 X 236 mors 2

CARR.: **IRION** IRION
MOTORE: **SCHABMULLER**
TIPO: **N112/1,1RK-550/529**
ARM. V1: **48** A1: **31,8**
ECC.: **COMPOUND**
V2: A2:
KW: **1,1** HP
U./MIN: **3180**

APPLIC.: **Servosterzo** SERV: **S3 - 38%**

CODICE: **KLMT1000-**

0005751138
9029242 kalm



ROTAZIONE V.L.A.: Orario

∅ 112 X 220 mors 2

CARR.: **IRION** IRION
MOTORE: **SCHABMULLER**
TIPO: **D112/1,5RK-505/611-../05**
ARM. V1: **80** A1: **33**
ECC.: **COMPOUND**
V2: A2:
KW: **1,5** HP
U./MIN: **2080**

APPLIC.: **Servosterzo** SERV: **S3 - 10%**

CODICE: **KLMT1370-**

63188990
27634700*
50018532*
50023989**



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 186 mors 3

CARR.: **JUNGHEINRICH JUNG.**
MOTORE: **SCHABMULLER**
TIPO: **R100/0,4-154/131-81/35**
ARM. V1: **48** A1: **12,6**
ECC.: **SERIE**
V2: A2:
KW: **0,4** HP
U./MIN: **2815**

APPLIC.: **Servosterzo** SERV: **S3-56%**

CATALOGO MOTORI



CODICE: **KLMT2381-**

013516
1405669*
8013518
50019890*



ROTAZIONE V.L.A.:

∅ 150 X 191 mors 2

CARR.: **JUNGHEINRICH JUNGHEINRI**
MOTORE: **SCHABMULLER**
TIPO: **P150/1-361/242-../15**
ARM. V1: **80** A1: **16**
ECC.: **M. PERMANENTE**
V2: A2:
KW: **1** HP
U./MIN: **2000**

APPLIC.: **Servosterzo** SERV: **S3-40%**

CODICE: **KLMT1499-**

27504400*



ROTAZIONE V.L.A.: Orario

∅ 150 X 275 mors 2

CARR.: **JUNGHEINRICH JUNG.**
MOTORE: **SCHABMULLER**
TIPO: **D150/2R-119/39**
ARM. V1: **80** A1: **33**
ECC.: **COMPOUND**
V2: A2:
KW: **2** HP
U./MIN: **1300**

APPLIC.: **Servosterzo** SERV: **S3-40%**

CODICE: **KLMT1425-**

9031713
9031.713
907-010-0129
50016239



ROTAZIONE V.L.A.: Orario

∅ 112 X 0 mors 2

CARR.: **KALMAR IRION**
MOTORE: **SCHABMULLER**
TIPO: **D112/1,5RK-668/611-3,2/0,5**
ARM. V1: **80** A1:
ECC.:
V2: A2:
KW: **1,5** HP
U./MIN:

APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT1036-**

0009761202



ROTAZIONE V.L.A.: Orario

∅ 100 X 149 mors 2

CARR.: **LANSING T20**
MOTORE: **SCHABMULLER**
TIPO: **D100/1,2R-105/107**
ARM. V1: **24** A1: **89**
ECC.: **SERIE**
V2: A2:
KW: **1,2** HP
U./MIN: **2900**

APPLIC.: **Servosterzo** SERV: **S3 - 8%**

CODICE: **KLMT2126-**

5782661



ROTAZIONE V.L.A.: Orario

∅ 112 X 265 mors 2

CARR.: **LANSING LANSING**
MOTORE: **SCHABMULLER**
TIPO: **P112/0,7K-519/146**
ARM. V1: **24** A1: **40**
ECC.: **M. PERMANENTE**
V2: A2:
KW: **0,7** HP
U./MIN: **2330**

APPLIC.: **Servosterzo** SERV: **S1**

CATALOGO MOTORI



CODICE: **KLMT1324-**

5786157-001

50021307



ROTAZIONE V.L.A.: Orario

∅ 112 X 220 morsa 2

CARR.: **LANSING** VARI

MOTORE: **SCHABMULLER**

TIPO: **D112/0,9RK-629/607**

ARM. V1: **48** A1: **27,5**

ECC.: **COMPOUND**

V2: A2:

KW: **0,9** HP

U./MIN: **2400**

APPLIC.: **Servosterzo**

SERV: **S3-27%**

CODICE: **KLMT2940-**

6900774-001



ROTAZIONE V.L.A.: Antiorario

∅ 150 X 275 morsa 2

CARR.: **LANSING** LANSING

MOTORE: **SCHABMULLER**

TIPO: **D150/0,9LK-901/818-./122**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,9** HP

U./MIN: **820**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT1356-**

5782662



ROTAZIONE V.L.A.: Orario

∅ 112 X 265 morsa 2

CARR.: **LANSING** LANSING

MOTORE: **SCHABMULLER**

TIPO: **P112/0,7K-519/152**

ARM. V1: **48** A1: **19**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,7** HP

U./MIN: **2450**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2675-**

50037176*

50045413*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 102 X 163 morsa 2

CARR.: **LGV** ESATECNA-S

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-38/3-81-511N**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT3028-**

0276419

999

50050451



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 125 X 300 morsa 2

CARR.: **LGV** LGV

MOTORE: **SCHABMULLER**

TIPO: **TSL125A-595.51**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2900**

APPLIC.: **Servosterzo**

SERV: **S1**

CATALOGO MOTORI

CODICE: KLMT1033-

0009761186
0199990350
50018535
50018943*



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 186 morsa 3

CARR.: LINDE W10
MOTORE: SCHABMULLER
TIPO: R100/0,4-128/149
ARM. V1: 23,5 A1: 25
ECC.: SERIE
V2: A2:
KW: 0,4 HP
U./MIN: 2950
APPLIC.: Servosterzo SERV: S3 - 60%

CODICE: KLMT1025-

0009761157
0009768157
0009810720*
50016831**



ROTAZIONE V.L.A.: Orario

Ø 100 X 208 morsa 2

CARR.: LINDE E12 - E15
MOTORE: SCHABMULLER
TIPO: N100/0,4RK-136/126
ARM. V1: 24 A1: 26
ECC.: COMPOUND
V2: A2:
KW: 0,4 HP
U./MIN: 2530
APPLIC.: Servosterzo SERV: S1

CODICE: KLMT1019-

0009761143
0009810718
0009810795



ROTAZIONE V.L.A.: Orario

Ø 100 X 220 morsa 2

CARR.: LINDE E12 - E15
MOTORE: SCHABMULLER
TIPO: N100/0,4RK-119/104
ARM. V1: 24 A1: 24
ECC.: COMPOUND
V2: A2:
KW: 0,4 HP
U./MIN: 2750
APPLIC.: Servosterzo SERV: S1

CODICE: KLMT1015-

0009761129
0009810713*
0009810793A
907-007-0001



ROTAZIONE V.L.A.: Orario

Ø 112 X 194 morsa 2

CARR.: LINDE E10-E12-E15
MOTORE: SCHABMULLER
TIPO: N100/0,75RK-100/100
ARM. V1: 24 A1: 44
ECC.: SEPARATA
V2: A2:
KW: 0,75 HP
U./MIN: 3800
APPLIC.: Servosterzo SERV: S3-80%

CODICE: KLMT2646-

0009761281



ROTAZIONE V.L.A.: Orario

Ø 112 X 220 morsa 2

CARR.: LINDE E15
MOTORE: SCHABMULLER
TIPO: D112/0,8R-762/680-../05
ARM. V1: 24 A1:
ECC.: COMPOUND
V2: A2:
KW: 0,8 HP
U./MIN: 2360
APPLIC.: Servosterzo SERV: S3-40%

CATALOGO MOTORI

CODICE: **KLMT1046-**

0009810804
0009761174
50019827
50035328*



ROTAZIONE V.L.A.: Orario

∅ 112 X 220 morsa 2

CARR.: **LINDE** retrattile R14
MOTORE: **SCHABMULLER**
TIPO: **D112/0,5RK-649/663**
ARM. V1: **48** A1: **16**
ECC.: **COMPOUND**
V2: A2:
KW: **0,5** HP
U./MIN: **1225**

APPLIC.: **Servosterzo** SERV: **S3 - 45%**

CODICE: **KLMT1027-**

0009761160
0009768160
0009810727
50019764



ROTAZIONE V.L.A.: Orario

∅ 112 X 217 morsa 2

CARR.: **LINDE** E16P - E18P
MOTORE: **SCHABMULLER**
TIPO: **D112/0,9RK-591/607-4,1/05**
ARM. V1: **48** A1: **27,5**
ECC.: **COMPOUND**
V2: A2:
KW: **0,9** HP
U./MIN: **2400**

APPLIC.: **Servosterzo** SERV: **S3 = 27%**

CODICE: **KLMT1026-**

0009761158
0009768158
0009810721
50019584



ROTAZIONE V.L.A.: Orario

∅ 100 X 217 morsa 2

CARR.: **LINDE** E15S
MOTORE: **SCHABMULLER**
TIPO: **N100/0,4RK-137/127-..J04**
ARM. V1: **48** A1: **13**
ECC.: **COMPOUND**
V2: A2:
KW: **0,4** HP
U./MIN: **2450**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT1020-**

0009761144
0009810719
0009810796
0009768144



ROTAZIONE V.L.A.: Orario

∅ 100 X 219 morsa 2

CARR.: **LINDE** E15 S
MOTORE: **SCHABMULLER**
TIPO: **N100/0,4RK-120/119**
ARM. V1: **48** A1: **12,4**
ECC.: **COMPOUND**
V2: A2:
KW: **0,4** HP
U./MIN: **2960**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT1044-**

0009810715
0009761123
0009810704
0009810784-



ROTAZIONE V.L.A.: Orario

∅ 112 X 224 morsa 2

CARR.: **LINDE** E 20 - 25 - 30
MOTORE: **SCHABMULLER**
TIPO: **D112/1,1R-61/35-..J10**
ARM. V1: **80** A1: **20**
ECC.: **COMPOUND**
V2: **0** A2: **0**
KW: **1,1** HP **0**
U./MIN: **1790**

APPLIC.: **Servosterzo** SERV: **S3 - 25%**

CATALOGO MOTORI

CODICE: **KLMT2058-**

28707670



ROTAZIONE V.L.A.: Orario

∅ 125 X 270 mors 2

CARR.: **LINDE** E25

MOTORE: **SCHABMULLER**

TIPO: **D125/2R-7/7-..05**

ARM. V1: **80** A1: **33,5**

ECC.: **COMPOUND**

V2: A2:

KW: **2** HP

U./MIN: **2450**

APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT2072-**

0009760905

0009760905

3378250042



ROTAZIONE V.L.A.: Orario

∅ 125 X 238 mors 2

CARR.: **LINDE** E48

MOTORE: **SCHABMULLER**

TIPO: **D125/1,1RK-727/669-..02**

ARM. V1: **80** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,1** HP

U./MIN: **2155**

APPLIC.: **Servosterzo** SERV: **S2-60'**

CODICE: **KLMT1022-**

0009761149

0009761133

0009810723

0009768149



ROTAZIONE V.L.A.: Orario

∅ 112 X 217 mors 2

CARR.: **LINDE** E20 - 25 - 30

MOTORE: **SCHABMULLER**

TIPO: **D112/1,1RK-629/596**

ARM. V1: **80** A1: **19,5**

ECC.: **COMPOUND**

V2: A2:

KW: **1,1** HP

U./MIN: **2130**

APPLIC.: **Servosterzo** SERV: **S3 - 20%**

CODICE: **KLMT2511-**

0029761005



ROTAZIONE V.L.A.: Antiorario

∅ 150 X 273 mors 2

CARR.: **LINDE** P200

MOTORE: **SCHABMULLER**

TIPO: **D150/1,2LK-893/824**

ARM. V1: **80** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1,2** HP

U./MIN: **1020**

APPLIC.: **Servosterzo** SERV: **S2 - 60'**

CODICE: **KLMT1040-**

0009761269

8407513



ROTAZIONE V.L.A.: Antiorario

∅ 150 X 273 mors 2

CARR.: **LINDE - STILL** R14 - 113---

MOTORE: **SCHABMULLER**

TIPO: **D150/0,9LK-879/818**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,9** HP

U./MIN: **820**

APPLIC.: **Servosterzo** SERV: **S1**

CATALOGO MOTORI

CODICE: **KLMT2436-**

0009761277

9531984

908-013



ROTAZIONE V.L.A.: Antiorario

∅ 150 X 275 mors 2

CARR.: **LINDE - STILL** R14 - 113---

MOTORE: **SCHABMULLER**

TIPO: **D150/0,9LK-901/818-../22**

ARM. V1: **48** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **0,9** HP

U./MIN: **820**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3409-**

0009761282

50040966*



ROTAZIONE V.L.A.: Orario

∅ 112 X 220 mors 2

CARR.: **LINDE - STILL** R07-20H

MOTORE: **SCHABMULLER**

TIPO: **P112/0,5-714/645-../04**

ARM. V1: **80** A1: **8,5**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **1380**

APPLIC.: **Servosterzo**

SERV: **S3 - 42%**

CODICE: **KLMT1325-**

50016274



ROTAZIONE V.L.A.: Orario

∅ 125 X 244 mors 2

CARR.: **LINDE M** E 40 ns. modif

MOTORE: **SCHABMULLER**

TIPO: **D125/1R-571/565 - ../05**

ARM. V1: **80** A1: **16,5**

ECC.: **COMPOUND**

V2: A2:

KW: **1** HP

U./MIN: **3520**

APPLIC.: **Servosterzo**

SERV: **S3 = 37%**

CODICE: **KLMT3463-**

50015974*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 125 X 188 mors 2

CARR.: **MCF** MCF

MOTORE: **SCHABMULLER**

TIPO: **P125/0,5-595/567**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2886-**

50057216*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 102 X 280 mors 2

CARR.: **MLR** MLR

MOTORE: **SCHABMULLER**

TIPO: **TSL102A-25.51**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CATALOGO MOTORI

CODICE: **KLMT2779-**

168120376

9030080007

50015362*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 102 X 163 mors 2

CARR.: **MLR** MLR

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-11/3-81-51**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT3440-**

50054214*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 280 mors 2

CARR.: **MLR** MLR

MOTORE: **SCHABMULLER**

TIPO: **TSL102A-3.51**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT3532-**

4190992

901353

50015355*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 203 mors 2

CARR.: **MOTORUOTA** MOTORUOTA

MOTORE: **SCHABMULLER**

TIPO: **P102/0,05-13/7-62-46**

ARM. V1: **24** A1: -

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,05** HP

U./MIN: **3200**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT1814-**

50015936

50015936



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 102 X 145 mors 2

CARR.: **MOTORUOTA** MOTORUOTA

MOTORE: **SCHABMULLER**

TIPO: **P102/0,05-13/9-62-46**

ARM. V1: **48** A1: 2

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,05** HP

U./MIN: **3200**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT1327-**

403124

00299528

50161403



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 148 mors 3

CARR.: **NISSAN** STEINBOCK

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-118/117**

ARM. V1: **23,5** A1: 27

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2960**

APPLIC.: **Servosterzo**

SERV: **S3-60%**

CATALOGO MOTORI



CODICE: **KLMT3485-**

R014350091

50068688*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 110 X 340 morsi 3

CARR.: **OCME - E80** AGV

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-013.51**

ARM. V1: **3F - 32** A1:

ECC.: **ASINCRONO Hz160**

V2: A2:

KW: **1,45** HP

U./MIN: **4600**

APPLIC.: **Servosterzo**

SERV: **S3-50%**

CODICE: **KLMT2485-**

0009761016

9848450*

50054426*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 253 morsi 3

CARR.: **PIMESPO** TSX - TLX - C

MOTORE: **SCHABMULLER**

TIPO: **TSL100A-177.46**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2800**

APPLIC.: **Servosterzo**

SERV: **S3=59%**

CODICE: **KLMT3460-**

45395420500

50062178*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 255 morsi 3

CARR.: **PIMESPO** LOGO 1 AC

MOTORE: **SCHABMULLER**

TIPO: **TSL100A-178.46**

ARM. V1: **24** A1: **36**

ECC.: **SERIE**

V2: A2:

KW: **0,6** HP

U./MIN: **2800**

APPLIC.: **Servosterzo**

SERV: **S3=38%**

CODICE: **KLMT2520-**

95319489

50034882



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 112 X 160 morsi 2

CARR.: **PIMESPO** MODO3

MOTORE: **SCHABMULLER**

TIPO: **P112/0,6-745/686-81-46 HES**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,600** HP

U./MIN: **3200**

APPLIC.: **Servosterzo**

SERV: **S3-26%**

CODICE: **KLMT2579-**

95325593



ROTAZIONE V.L.A.: Antiorario

∅ 150 X 237 morsi 2

CARR.: **PIMESPO** THESI

MOTORE: **SCHABMULLER**

TIPO: **TSL150A-850**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **1,5** HP

U./MIN: **1440**

APPLIC.: **Servosterzo**

SERV:

CATALOGO MOTORI

CODICE: **KLMT2883-**

211394

901257

50030436*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 102 X 163 morsa 2

CARR.: **ROCLA** VARI

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-12/3-81-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT2894-**

C999998006

901445

50015389*

50015959



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 102 X 163 morsa 2

CARR.: **ROCLA** VARI

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-36/3-81-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT2665-**

04842189



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 125 X 215 morsa 3

CARR.: **STEINBOCK** WK-10 TRILA

MOTORE: **SCHABMULLER**

TIPO: **R125/0,8-619/627-210-43**

ARM. V1: **80** A1: **14**

ECC.: **SERIE**

V2: A2:

KW: **0,8** HP

U./MIN: **1995**

APPLIC.: **Servosterzo**

SERV: **S3-50%**

CODICE: **KLMT1084-**

04968284

04967273 ex

26914558

50030501 ex



ROTAZIONE V.L.A.: Orario

∅ 125 X 276 morsa 2

CARR.: **STEINBOCK** STEINBOCK

MOTORE: **SCHABMULLER**

TIPO: **D125/1,5RK-684/636-.06HES**

ARM. V1: **80** A1: **26,2**

ECC.: **COMPOUND**

V2: A2:

KW: **1,5** HP

U./MIN: **1995**

APPLIC.: **Servosterzo**

SERV: **S3 - 20%**

CODICE: **KLMT2188-**

8416142

50029813*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 250 morsa 3

CARR.: **STILL** EGV-S13

MOTORE: **SCHABMULLER**

TIPO: **R100/0,15-225/172-81-18 SO**

ARM. V1: **24** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,15** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CATALOGO MOTORI

CODICE: **KLMT3164-**

938552
4479938
50055487



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 164 mors 3

CARR.: **STILL** TRASPALLET
MOTORE: **SCHABMULLER**
TIPO: **TSL100-172.18**
ARM. V1: **24** A1:
ECC.: **SERIE**
V2: A2:
KW: **0,4?** HP
U./MIN:
APPLIC.: **Servosterzo** SERV:

CODICE: **KLMT2762-**

8423754
8424347
8421722
50041682



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 255 mors 3

CARR.: **STILL** EK12
MOTORE: **SCHABMULLER**
TIPO: **R100/0,4-232/170-81-46**
ARM. V1: **48** A1:
ECC.: **SERIE**
V2: A2:
KW: **0,4** HP
U./MIN: **5505**
APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT2205-**

415877
917993
50027129



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 112 X 290 mors 3

CARR.: **STILL** GX13
MOTORE: **SCHABMULLER**
TIPO: **R112/0,6-665/631-81-51MKTV**
ARM. V1: **48** A1:
ECC.: **SERIE**
V2: A2:
KW: **0,6** HP
U./MIN: **3470**
APPLIC.: **Servosterzo** SERV: **S3=33%**

CODICE: **KLMT1150-**

148452
0524241*
0377148452
50019958*



ROTAZIONE V.L.A.: Orario

∅ 112 X 220 mors 2

CARR.: **STILL** R07-20H
MOTORE: **SCHABMULLER**
TIPO: **P112/0,5-714/645-../04**
ARM. V1: **80** A1: **8,5**
ECC.: **M. PERMANENTE**
V2: A2:
KW: **0,5** HP
U./MIN: **1380**
APPLIC.: **Servosterzo** SERV: **S3 - 42%**

CODICE: **KLMT3459-**

C999998004
32MRZ011
R014100011
50048959*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 125 X 189 mors 2

CARR.: **SYSTEM** SYSTEM
MOTORE: **SCHABMULLER**
TIPO: **TSL125A-576.51**
ARM. V1: **48** A1:
ECC.: **M. PERMANENTE**
V2: A2:
KW: **0,5** HP
U./MIN: **3810**
APPLIC.: **Servosterzo** SERV: **S1**

CATALOGO MOTORI

CODICE: **KLMT1774-**

9999980014*

C999998001

50038166



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 125 X 314 mors 2

CARR.: **SYSTEM** BOX

MOTORE: **SCHABMULLER**

TIPO: **P125/0,4-710/595-120-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2900**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT2770-**

411836

50020060

50015586



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 125 X 190 mors 2

CARR.: **SYSTEM** SYSTEM

MOTORE: **SCHABMULLER**

TIPO: **TSL125A-576.51**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN: **3810**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT3522-**

959504-503

211786

C999998007

50068829*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 125 X 191 mors 2

CARR.: **SYSTEM** AGV

MOTORE: **SCHABMULLER**

TIPO: **P125/0,5-(591)/576**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,5** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: **KLMT1322-**

9999980008

R014320010

50015377*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 102 X 163 mors 2

CARR.: **SYSTEM** SYSTEM

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-27/3-81-46**

ARM. V1: **48** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **2680**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CODICE: **KLMT2848-**

2000735

50015357*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 102 X 163 mors 2

CARR.: **VARI** VARI

MOTORE: **SCHABMULLER**

TIPO: **P102/0,4-18/8-81-46**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,4** HP

U./MIN: **0**

APPLIC.: **Servosterzo**

SERV: **S3-70%**

CATALOGO MOTORI

CODICE: **KLMT3186-**

50041674



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 112 X 160 morsi 2

CARR.: **VARI** MODO3

MOTORE: **SCHABMULLER**

TIPO: **P112/0,3-745/698-81-46 HES**

ARM. V1: **24** A1:

ECC.: **M. PERMANENTE**

V2: A2:

KW: **0,300** HP

U./MIN: **1600**

APPLIC.: **Servosterzo**

SERV: **S3-26%**

CODICE: **KLMT1323-**

50016228

0009810763



ROTAZIONE V.L.A.: Orario

∅ 112 X 240 morsi 2

CARR.: **VARI** VARI

MOTORE: **SCHABMULLER**

TIPO: **D112/1RK-664/662**

ARM. V1: **24** A1:

ECC.: **COMPOUND**

V2: A2:

KW: **1** HP

U./MIN: **1740**

APPLIC.: **Servosterzo**

SERV: **S3-18%**

CODICE: **KLMT3442-**

50061466



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 106 X 158 morsi 3

CARR.: **VARI** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106-50-10.46**

ARM. V1: **3F- 28** A1:

ECC.: **ASINCRONO Hz140**

V2: A2:

KW: **0,51** HP

U./MIN: **3850**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CODICE: **KLMT3527-**



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 130 X 200 morsi 3

CARR.: **VARI** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106-65-013**

ARM. V1: **3F- 32** A1:

ECC.: **ASINCRONO Hz160**

V2: A2:

KW: **1,45** HP

U./MIN: **4600**

APPLIC.: **Servosterzo**

SERV: **S3-58%**

CODICE: **KLMT3653-**

50071596



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 106 X 158 morsi 3

CARR.: **VARI** RIDUTTORE

MOTORE: **SCHABMULLER**

TIPO: **TSA106-50-23.46**

ARM. V1: **3F- 32** A1:

ECC.: **ASINCRONO Hz140**

V2: A2:

KW: **0,60** HP

U./MIN: **3800**

APPLIC.: **Servosterzo**

SERV: **S2-60'**

CATALOGO MOTORI

CODICE: **KLMT2846-**

C15600.0005

50054566*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 125 X 190 mors 2

CARR.: **VARI** VARI
 MOTORE: **SCHABMULLER**
 TIPO: **P125/0,5-587/576**
 ARM. V1: **48** A1:
 ECC.: **M. PERMANENTE**
 V2: A2:
 KW: **0,5** HP
 U./MIN: **3810**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT3635-**



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 163 mors 2

CARR.: **VARI** VARI
 MOTORE: **SCHABMULLER**
 TIPO: **P102/0,4-62/25-81-46**
 ARM. V1: **48** A1:
 ECC.: **M. PERMANENTE**
 V2: A2:
 KW: **0,4** HP
 U./MIN: **2680**

APPLIC.: **Servosterzo** SERV: **S3-70%**

CODICE: **KLMT3321-**

50069077*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 125 X 198 mors 2

CARR.: **VARI** VARI
 MOTORE: **SCHABMULLER**
 TIPO: **P125/0,5-716/576-120-46**
 ARM. V1: **48** A1:
 ECC.: **M. PERMANENTE**
 V2: A2:
 KW: **0,5** HP
 U./MIN: **0**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT3301-**

411836

50024424*



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 125 X 189 mors 2

CARR.: **VARI** VARI
 MOTORE: **SCHABMULLER**
 TIPO: **P125/0,5-617/576-81-51TWMK**
 ARM. V1: **48** A1:
 ECC.: **M. PERMANENTE**
 V2: A2:
 KW: **0,5** HP
 U./MIN: **3810**

APPLIC.: **Servosterzo** SERV: **S1**

CODICE: **KLMT1298-**

411254

8411254

9030070052

50015922



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 260 mors 3

CARR.: **WAGNER** CZ10 - EK10
 MOTORE: **SCHABMULLER**
 TIPO: **R100/0,4-188/149-81-46-80**
 ARM. V1: **23,5** A1: **25**
 ECC.: **SERIE**
 V2: A2:
 KW: **0,4** HP
 U./MIN: **2950**

APPLIC.: **Servosterzo** SERV: **S3-60%**

CATALOGO MOTORI

CODICE: KLMT1320-

852980
8412070AT
8020889



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 165 mors 3

CARR.: **WAGNER** EFSM

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-185/131-81-18**

ARM. V1: **48** A1: **12,6**

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **2815**

APPLIC.: **Servosterzo**

SERV: **S3 - 56%**

CODICE: KLMT2543-

918020
415948 - 841
8422988/841
50041501



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 255 mors 3

CARR.: **WAGNER** FM14 - FM20

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-230/170-81-18**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **5505**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: KLMT1299-

8415948
415948 - 841
50026970
50028823



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 100 X 166 mors 3

CARR.: **WAGNER** FM14 - FM20

MOTORE: **SCHABMULLER**

TIPO: **R100/0,4-222/170-81-18**

ARM. V1: **48** A1:

ECC.: **SERIE**

V2: A2:

KW: **0,4** HP

U./MIN: **5505**

APPLIC.: **Servosterzo**

SERV: **S1**

CODICE: KLMT2056-

401669
8401669
8410541
50017421



ROTAZIONE V.L.A.: Orario

∅ 150 X 205 mors 2

CARR.: **WAGNER** GX30-40

MOTORE: **SCHABMULLER**

TIPO: **P150/1-628/698-4,1/01**

ARM. V1: **80** A1: **15,9**

ECC.: **M. PERMANENTE**

V2: A2:

KW: **1** HP

U./MIN: **1920**

APPLIC.: **Servosterzo**

SERV: **S3-40%**

CODICE: KLMT1295-

8405837
405837
916561
50031633



ROTAZIONE V.L.A.: Entrambi i sensi

∅ 125 X 190 mors 3

CARR.: **WAGNER** K15

MOTORE: **SCHABMULLER**

TIPO: **R125/1,05FK 681/637-120-51**

ARM. V1: **80** A1:

ECC.: **SERIE**

V2: A2:

KW: **1,05** HP

U./MIN:

APPLIC.: **Servosterzo**

SERV:

CATALOGO MOTORICODICE: **KLMT2733-**

8020888

WA020888

8411696

50015331



ROTAZIONE V.L.A.: Entrambi i sensi

Ø 100 X 166 mors 3

CARR.: **WAGNER - STIL FM**MOTORE: **SCHABMULLER**TIPO: **R100/0,4-184/149-81-18**ARM. V1: **23,5** A1: **25**ECC.: **SERIE**

V2: A2:

KW: **0,4** HPU./MIN: **2950**APPLIC.: **Servosterzo**SERV: **S3-60%**CODICE: **KLMT1710-**

Y296321272

Y258433700



ROTAZIONE V.L.A.: Orario

Ø 112 X 211 mors 2

CARR.: **YALE** **YALE**MOTORE: **SCHABMULLER**TIPO: **D112/1R-639/606**ARM. V1: **36** A1: **40**ECC.: **COMPOUND**

V2: A2:

KW: **1** HPU./MIN: **3160**APPLIC.: **Servosterzo**SERV: **S3-40%**